AD-A286 603

94-28970 wb

Fuentible and Activities.

The houseon file they said diseased Randow Mark to the bool present and majety second to an amendal by Corporate in Patien Law (19/1996, These include the bool present and majety second to an amendal by Corporate Law (19/1996, These include the bool present and majety second to an amendation of the analysis of the bool present and majety second to the analysis of the second to describe the described to the second to describe the second to the second t on the incidence of the panels of the latest of the latest

The readin of the Bones's regarding published ellering the Bones's are better of publicators of in the location of reasonational and all gratific sociously. In Alleron their tribularity of publicators of in the location of reasonational and all gratific sociously. The Alleron their tribularity is also proposed to be a tribularity from the location of the location

July 1937 to Just 1000 (Included Africa of Person Exhibited to Organic Jecquate 1950 to 1950)(\$2.25), qually

Best Available Copy

NATIONAL BUREAU OF STANDARDS Technical Note

May 1961

A Compilation of the Physical Equilibria

and

Related Properties of the Hydrogen-Carbon Monoxide System

by

Dennis E. Drayer

Thomas M. Flynn

NBS Technical Notes are designed to supplement the Bureau's regular publications program. They provide a means for making available scientific data that are of transient or limited interest. Technical Notes may be listed or referred to in the open literature. They are for sale by the Office of Technical Services, U. S. Department of Commerce, Washington 25, D. C.

DISTRIBUTED BY

UNITED STATES DEPARTMENT OF COMMERCE

OFFICE OF TECHNICAL SERVICES

WASHINGTON 25, D C

Price \$ 2.25

	Contents
	P
	List of Tables
	List of Figures
	Abstract
,	1. Introduction
	1.1 Purpose
	1.2 Organization
	1.3 Scope
	1.4 Acknowledgements
	2. Survey of Literature
	3. Discussion of Available Data
	4. K-Factor Charts
3	5. Solid-Vapor Equilibria
ä	6. Three-Phase Equilibria
Ä	7. Phenomena Index
Ì	7.1 Hydrogen
į	7.2 Carbon Monoxide
9	7.3 General
2	8. Properties Index
*	8.1 Hydrogen
	8.2 Carbon Monoxide
	8.3 General
	9. Processes Index
•	9.1 Hydrogen
ı	9.2 Carbon Monoxide
	9.3 General

1.

4.

ш

List of Tables

1	List of Tables
Table	Page
II	CO-H ₂ Pressure-Concentration Data (Verschoyle: 88.2°, 83.2°, 73.2° and 68.2°K) 74
п	CO-H ₂ Critical Constants (Verschoyle)
111	CO-H ₂ Pressure-Concentration Data (Ruhemann and Zinn: 90°, 83° and 78°K) 76
IV	CO-H ₂ Pressure-Concentration Data (Akers and Eubanks: 122.2°, 100°, and 83.3°K) 77
V	Solid-Vapor Equilibria (Verschoyle: 63.2° and 58.2°K) 78
VI	Solid-Vapor Equilibria (Dokoupii et al.: 50, 25, 15, 10, 5 and 1.3 atm) 79
VII	Solid-Vapor Equilibria (Dokoupii et al.: 65° to 35°K) 80
VIII	Three-Phase Data (Verschoyle) 81

List of Figures

Figure		Page	1
1.	Regions Covered by Published Data	4	-
2.	Carbon Monoxide-Hydrogen Vapor-Liquid Equilibria Data: Hydrogen K-Factors	6	•
3.	Carbon Monoxide-Hydrogen Vapor-Liquid Equilibria Data: Carbon Monoxide K-Factors	7	
4.	Vapor-Liquid Equilibria Carbon Monoxide-Hydrogen System	8	
5.	Solid-Vapor Equilibria. Concentration of Carbon Monoxide in the Vapor Phase	10	

Abstract

Literature data have been used to calculate K-factors for the hydrogen-carbon monoxide system over the range of 68.2 to 122.2 °K and 10 to 225 atmospheres. K-factors are presented graphically for eight isotherms over this range.

Published data on the soud-vapor region are presented separately as composition versus pressure at constant temperature.

A bibliography of approximately 450 references is also presented on related properties for this system and for the pure components.

Accesson For

NTIS CRA&I
DTIC IAB D
Unannou ccd
Justification

By
Distribution/

Availability Codes

Avail and/or
Special

1. Introduction

1.1 Purpose

Hydrogen gas for liquefaction purposes frequently contains large amounts of other gases. Typical impurities or contaminants found in hydrogen-source streams include mitrogen, carbon monoxide, methane, ethane, and higher hydrocarbons. Purification of these various sources of hydrogen requires a considerable knowledge of the physical equilibria of the systems involved.

As an initial step in the study of the physical equilibria of hydrogen systems, a review of the literature was undertaken to determine what has been done and is known in this area. In this paper, the carbon monoxide-hydrogen system was so studied. (Previously, the nitrogen-hydrogen system was examined). The purpose of this paper is to determine what is known about the physical equilibria relationships and to present an extensive compilation of known related references for data for this system. It is hoped that this paper will thus provide a firm basis for the conduct of research programs in this area.

Future publications in this series will be concerned with the physical equilibria of hydrogen and other important components. Binary systems will be studied initially. When such a program is completed, it is hoped that the results will be of significant value in the design of cryogenic equipment.

1, 2 Organization

The information is presented in three principal parts: (1) physical equilibria with major emphasis on vapor-liquid equilibria, (2) properties related to physical equilibria, and (3) a bibliography of references. Some discussion is presented with Part (1). The information of Part (2) is presented in tabular form showing the reference where such data are to be found. Part (3), the Bibliography, lists the references alphabetically by author.

1.3 Scope

The scope of this work is as follows: an exhaustive literature search, as summarized in NBS Technical Note No. 56, revealed much of the pertinent data; such data were abstracted and presented in the form of K-factor charts and a concentration-pressure chart and as a bibliography of referer es for related areas of interest. The areas searched are presented in the above reference and will not be enumerated here. Generally speaking, the literature was searched extensively and includes articles published up to and prior to July of 1960.

1.4 Acknowledgements

The authors especially appreciate the aid of the staff of the Data Center of the National Bureau of Standards Cryogenic Engineering Laboratory who provided the majority of the original papers for review.

2. Survey of Literature

The literature 'earch revealed three important references for carbon monoxide-hydrogen vapor-liquid equilibria data. These were Akers and Eubanks (4), Ruhemann and Zinn (368), and Verschoyle (423). K-factor charts were prepared from the data of these references. In all cases the data had to be re-interpreted to arrive at K-factors.

Of noteworthy interest is the article by Verschov' (423) who also presents solid-vapor and solid-liquid-vapor data for this same system. Also, the extensive work of Dokoupil et al. (88) presents solid-gas equilibria data for this system.

No related physical data are actually presented in this report; only references for such material are listed. Other areas so covered include adsorption phenomena, purification processes, solubility relationships, density and compressibility data, equations of state, thermodynamic and transport properties, P-V-T data, critical constants, virial coefficients, Beattie-Bridgeman constants, analytical techniques, and various processing references. Such material for the pure components as well as for mixtures of carbon monoxide and hydrogen is included in many cases. A general phenomena category is also presented to aid in the theoretical study of adsorption, phase equilibria, purification, solubility relationships, and other important

areas.

3. Discussion of Available Data

For this system one could expect the vapor-liquid data, if complete, to range roughly from the triple point temperature of carbon monoxide to the critical temperature of carbon monoxide (68.1 to 132.9 °K). The three articles mentioned previously provided data for eight isotherms between 68.2 °K and 122.2 °K. The isotherms so presented are at temperatures of 68.2 °, 73.2 °, 78 °, 83 ° -83.3 °, 88.2 °, 90 °, 100 °, and 122.2 °K. (The vapor-liquid equilibria data for 83 °K and for 83.3 °K are plotted as one isotherm and so labeted 83 ° -83.3 °K). Thus, the data available do present a rather complete picture of the vapor-liquid equilibria for this system.

The solid-vapor region has been explored at 58.2° and 63.2°K and from 20 to 175 atmospheres by Verschoyle (423) and from 32° to 70°K and 1.3 to 50 atmospheres by Dokoupil et al. (88).

The P-T regions covered by the published data are presented in Figure 1. This figure indicates that this system has been rather well explored in both the vapor-liquid region and the solid-vapor region, (The P-T data of hydrogen and carbon monoxide needed for the construction of Figure 1 were obtained from Johnson (189), Verschoyle (423) and Woolley, Scott and Brickwedde (446)).

The original data were treated to arrive at the corresponding K-factors. K is defined as y/x where y is the mole fraction of a component in the vapor phase and x is the mole fraction of that component in the liquid phase. K-factors were calculated for each component at a given temperature and pressure. After plotting the K-factors derived from the various investigations, a smooth curve was drawn for the given isotherm. Finally, the smoothed, individual K-factors were transferred to a plot of K versus total pressure with temperature as a parameter.

It is not the purpose of this report to present a test of the data for thermodynamic consistency. However, some general comments regarding the agreement between investigators is in order. Most discrepancies appear to lie in the pressure range from 10 to 30 atmospheres. In this range, there is some inconsistency in the hydrogen data as evidenced by cross-over of the isotherms of different investigators. The carbon monoxide data were not subject to these




Figure 1. Regions Covered by Published Data. Parenthetical Numbers Refer to Sources in Bibliography.

variations. This scatter of data for hydrogen may stem partly from the analytical techniques used.

The 78° and 90°K isotherms, as contributed by Ruhemann and Zinn, extend only to 50 atmospheres. By using the adjacent isotherms as guide lines, one could, if required, probably make a reasonable extrapolation of these two isotherms to higher pressures.

It must be emphasized that this report is based on the original data of the investigators. These data, in most cases, have not been tested for thermodynamic consistency and should be used only with thorough awareness of this fact.

4. K-Factor Charts


Presented in Tables I, III and IV in the Appendix are the data used in computing K-factors.


Figures 2 and 3 are plots of the K-factors of hydrogen and carbon monoxide, respectively. Dotted portions on these figures indicate extrapolated areas Figure 4 shows, finally, the curves for both hydrogen and carbon monoxide as taken from Figures 2 and 3. In Figure 4, hydrogen K-factors are situated above the line K = 1 and carbon monoxide K-factors are below this line. The intersection of an isotherm with the line K = 1 is called the plant point for that isotherm. The plant points for the 68, 2* and 73, 2*K isotherms were estimated by Verschoyle to be at pressures of 380 and 325 atmospheres, respectively. Critical constants for this system have been estimated by Verschoyle (423) and are presented in Table II


Figure 4 thus contains sufficient information to enable one to calculate the vapor and liquid compositions under given temperature and pressure conditions. After the K-factors are obtained, one simply substitutes into the following formulae to obtain phase compositions:


$$K_1 = y_1/x_1 \tag{1}$$


$$K_2 = y_2/x_2 \tag{2}$$














$$y_1 + y_2 = 1.0$$
 (3)

$$\dot{\mathbf{x}}_1 + \mathbf{x}_2 = 1.0 \tag{4}$$

The subscripts refer to hydrogen and carbon monoxide. For example, at a system pressure of 100 atm., the phase compositions at 88.2°K could be found as follows:

$$K_{CO} = 0.159 = y_{CO/x_{CO}}$$
; $y_{CO} = 0.159 \times_{CO}$

$$K_{H_2} = 3.72 = y_{H_2}/x_{H_2}$$
 ; $y_{H_2} = 3.73 x_{H_2}$

Solving equations (3) and (4), one obtains

$$y_{CO} = 0.122$$
 ; $x_{CO} = 0.764$

$$y_{H_2} = 0.878$$
 ; $x_{H_2} = 0.236$

Similarily, dew points and bubble points of given hydrogen-carbon monoxide mixtures can be calculated.

5. Solid-Vapor Equilibria

The data of Verschoyle (423) are given in Table V. These data have been plotted in Figure 5 to show vapor phase composition versus total pressure for the isotherms of 58, 2° and 63, 2°K.

The extensive solid-gas equilibria data of Dokoupil et al. (88) are given in Table VI. These data have been replotted (not shown) to arrive at P-y curves at 5°K temperature intervals from 35° to 65°K. The derived data are shown in Table VII and also on Figure 5. Of noteworthy interest is the minimum shown by each isotherm. The locus of these minimum points in the y-P curves thus allow the selection of the optimum total pressure at a given temperature to yield a minimum CO concentration in the gas phase.

6. Three-Phase Equilibria

Verschoyle has also presented data showing the locus of the three-phase curve. Table VIII contains this information.





Figure 5. Solid-Vapor Equilibria. Concentration of Carbon Monoxide in the Vapor Phase.



Phenomena

MAJOR COMPONENT


HYDROGEN.

Category	Other Components	References
Adsorption		8, 11, 84, 87, 107,
		119, 176, 183, 187,
	ŕ	208, 209, 211, 212,
		249, 250, 266, 296,
		318, 332, 333, 351,
		395, 414, 419
	Carbon Dioxide	169, 248
	Nitrogen	188, 419
	Oxygen-Nitrogen-	227
	Methane-Carbon Monoxide	
Phase Equilibria	,	136, 137, 156, 231,
_		239, 400
	Argon	315
	Carbon Dioxide	141
	Carbon Monoxide	4, 88, 368, 423
	Deuterium	216
	Helium	387
	Hydrocarbons	26, 27, 28, 312
	Methane	104, 433
	Methane-Nitrogen	391
	Methane-Nitrogen-	408
	Carbon Monoxide	
	Nitrogen	88, 138, 314, 315,
		423
	Nitrogen-Carbon	4, 88, 96, 368, 423
	Monoxide	
	Non-Polar Solvents	64
	Oxygen	315
	Paraffins	238
Purification		81, 82, 94, 170,
r utilication		198, 306, 432, 450
	Carbon Monoxide	204, 450
	Nitrogen-Carbon	450
	Monoxide	450
	Monoxide	

	CARBON MONOXIDE	age do a y making
Category	Other Components	References
Adsorption	ga profesional de la	8, 84, 93, 121, 182, 331, 332, 333
	Hydrogen-Oxygen- Nitrogen-Methane	227
Phase Equilibria		156, 437
Ī	Hydrocarbons	312
	Hydrogen	4, 88, 368, 423
	Hydrogen-Nitrogen	4,88, 96, 368, 423
	Hydrogen-Nitrogen Methane	408
[Methane	54, 448
{	Nitrogen	219, 378
Purification	Hydrogen	204, 450
	Hydrogen-Nit <i>c</i> ogen	450
	-	

Ph	e	'n	o	m	ena
**		•	•		

Category	Other Components	References
Adsorption		12, 13, 30, 44, 45, 50, 59, 69, 74, 76, 89, 113, 120, 177, 178, 179, 181, 196, 229, 232, 233, 239, 240, 242, 244, 245, 251, 259, 267, 270, 301, 311, 313, 343, 346, 349, 352, 359, 360, 406, 413, 415, 417, 418, 420, 428, 439, 440, 441, 451
Phase Equilibria		31, 32, 36, 37, 46, 51, 57, 65, 72, 92, 98, 99, 105, 111, 118, 141, 156, 157, 184, 215, 221, 223, 230, 246, 247, 259, 290, 294, 304, 335, 337, 344, 356, 357, 358, 362, 363, 367, 371, 379, 384, 388, 401, 405, 412, 442,
Purification		5, 135, 158, 217, 222, 243, 348, 355, 416, 418, 429, 441



Properties

MAJOR COMPONENT HYDROGEN

Category	Other Components	References
Beattle-Bridgeman Constants	g and sing the Sister of the S	78
Critical Constants	V.	9, 80, 103, 116, 173, 189, 200, 207, 228, 434
Density, Expansion, Compressibility		2, 3, 10, 14, 15, 17, 21, 47, 80, 85, 103, 139, 154, 155, 189, 192, 201, 213, 260, 269, 275, 277, 373, 382, 438, 452
	Carbon Dioxide	421
	Nitrogen	14, 15, 17, 438
Equations of State, Corresponding		1, 24, 61, 78, 115, 255, 263, 377
States	Carbon Monoxide	86
Isotherms		14, 15, 17, 35, 71, 174, 276, 280, 297, 298, 300, 381, 409, 422
	Carbon Monoxide	381, 409
	Helium	25
·	Nitrogen	14, 15, 17, 422
Thermodynamic Properties		33, 40, 77, 103, 106, 117, 124, 125, 139, 147, 165, 180, 189, 190, 195, 207, 214, 236, 278, 383, 386, 400, 445, 446
	Carbon Monoxide	147
	Nitrogen	39, 147, 370

rop		

Virial Coefficients

Other Components	References
	· -
· • •	23, 61, 102, 103, 139, 189, 285, 334, 446
	9, 55, 58, 62, 80, 103, 114, 116, 140, 145, 153, 162, 172, 189, 191, 193, 195, 283, 284, 383, 385, 411, 435, 436
Carbon Dioxide	226
Hydrogen Deuteride	172
Methane	225
Nitrogen	114, 225, 226, 411
Nitrogen-Carbon Dioxide	226
Nitrogen-Methane	225
	Carbon Dioxide Hydrogen Deuteride Methane Nitrogen Nitrogen-Carbon Dioxide

Carbon 'ioxide

285, 287, 375, 376 67

	tiès:


Category	Other Components	References
Critical Constants.	Tes 7.	53, 70, 79, 80, 189
Density, Expansion, Compressibility	,	16, 19, 41, 79, 80, 85, 95, 132; 133, 189, 262, 288, 392, 443
Equations of	Methane	. 54
State, Corres- ponding States	******	378 86
Isotherms	Hydrogen	16, 381, 409
20011011110	·Hydrogen	381, 409
	Hydrogen-Nitrogen	108
	Nitrogen	407
Thermodynamic Properties		40, 77, 97, 106, 130, 147, 189, 262, 279, 323
	Hydrogen	147
	Methane	264, 448
Transport Properties Vapor Pressure	,	143, 189 60, 70, 79, 80, 140, 189, 262, 281, 447
	Nitrogen	389, 390
Virial Coefficients	Carbon Dioxide	67

	MAJOR COMPONENT			
GENERAL				
Category	Other Components	References		
Bibliography	the second of th	* * 6		
Compressibility		18, 43, 48, 56,		
- , , , , ,	1	129, 159, 265,		
		293, 316, 321,		
		330, 347, 393;		
	•	399		
Corresponding	,	(2 124 140 151		
States		63, 134, 149, 151,		
	,	152, 292, 302,		
<u> </u>		327, 347		
Critical Properties	f	52, 129, 148, 254,		
Properties		273, 319, 320,		
	<u> </u>	340, 347		
Densities	 	29, 129, 261, 341,		
Densities		347, 366, 372		
Equations of	 	311, 300, 312		
State	ł	20, 22, 66, 68,		
••••	ì	72, 73, 164, 167,		
		199, 205, 220,		
	1	224, 237, 253,		
	l	256, 257, 258,		
	į.	268, 289, 293,		
		295, 302, 308,		
	1	310, 326, 345,		
	İ	347, 361, 396,		
		397, 398, 431,		
	L	453		
Expansion		234		
Isotherms		175, 273, 309		
Lennard-Jones				
Potentials	l e	126, 299		
	Ì	[
	1	l .		

د. متسيون

GENERAL (Continued)		
Category	Other Components	References
Thermodynamic Properties		60, 90, 100, 101, 123, 128, 150, 166, 171, 186, 194, 197, 218, 235, 274, 282, 291, 293, 294, 304, 324, 328, 330, 335, 336, 338, 342, 344, 345, 347, 353, 364, 365, 369, 372, 410, 442, 444
Transport Properties		112, 122, 144, 160, 168, 243, 347, 366, 374
Vapor Pressure		42, 49, 127, 140, 148, 163, 202, 241, 291, 303, 330, 341, 347, 394, 402, 403, 404, 410, 424
Virial Coefficients		91, 151, 205, 206, 210, 252, 299, 328, 329, 350

a salahari



MAJOR COMPONENT

HYDRÖGEN

4 .	HYDROGEN	<u> </u>	
	Other Components	References	
Analytical`	r the real rate r	34, 75, 161, 305	
-	Carbon Dioxide-	·	
	Oxygen-Carbon		
	Monoxide	*110	
	Carbon Monoxide	317, 380	
	Carbon'Monoxide-	ľ	
	Methane Carbon Monoxide-	. 272 .	
	Litrogen	109	
	felium	387	
	Nitrogen-Carbon	307	
	Monoxide-Methane	185	
Processing		7, 83, 306, 433	
•	1		
		ľ	
	•		
		1	
]]	
		l	
	}	l	
	j	l	
	1	}	
		ĺ	
	ļ	į	
	1		
	1	1	
	1	ł	
	Ì		
	1		
	1		
	1		

Processes

MAJOR COMPONENT

Category	Other Components	References
Analytical		34, 35, 131, 203, 307, 322, 426, 427, 430
	.Carbon Dioxide-	. 110
•	Ethylene	325
	Hydrogen	317, 380
	Hydrogen-Methane	. 272
	Hydrogen-Nitrogen	109
	Hydrogen-Nitrogen Methane	185

- 1. van Agt, F. The behavior of hydrogen relative to the law of corresponding states
 Commun. Kamerlingh Onnes Lab. Univ. Leiden No. 176c, 7pp. (1925)
- van Agt, F. and Kamerlingh Onnes, H. Isotherms of monatomic substances and of their binary mixtures. XXI. The compressibility of hydrogen and helium between 90° and 14°K (in Dutch) Verslag Gewone Vergader. Afdeel. Natuurk. Ned. Akad. Wetenschap. 34, 625-37 (1925)
- van Agt, F. and Kamerlingh Onnes, H. The compressibility of hydrogen and helium between 90° and 14°K Commun. Kamerlingh Onnes Lab. Univ. Leiden No. 176b, 15 pp. (1925)
- Akers, W. W. and Eubanks, L. S. Vapor-liquid equilibrium in the system hydrogen-nitrogen-carbon monoxide Advances in Cryogenic Eng. 3, 275-93 (1960)
- Almquist, J. A. and Dodge, R. L. Ultra-purification of gas mixtures
 Chem. & Met. Eng. 33, 89-92 (1926)
- Anon. Bibliography of gas properties
 Trans. Am. Soc. Mech. Engrs. 71, 894-5, 901-2 (1949)
- Anon. Hydrogen processing; hydroger reference data Petrol. Processing 11, 136-8 (1956)
- Armbruster, M. H. and Austin, J. E. The adsorption of gases on smooth surfaces of steel: argon, neon, hydrogen, nitrogen, carbon monoxide and carbon dioxide J. Am. Chem. Soc. 66, 159-71 (1944)
- Arnold, R. D. and Hoge, H. J. A test of the ideal solution laws for hydrogen, hydrogen-deuteride and deuterium. Vapor pressures and critical constants of the individual components J. Chem. Phys. 18, 1295 (1950)
- Augustin, H. Density of liquid hydrogen, index of refraction and dispersion of liquid hydrogen in liquid nitrogen (in German) Ann. Physik [4], 46, 419-45 (1915)

11: Barrer, R. M. Interaction of hydrogen with micro-crystalline charcoal. II. Activated sorption of hydrogen and methane by carbon

Proc. Roy. Soc. (London) A149, 231-69 (1935)

 Barrer, R. M. and Robins, A. B. Sorption of mixtures. II. Equilibria between binary gas mixtures and some zeolites Trans. Faraday Soc. 49, 929-39 (1953)

Bartell, F. E. and Almy, E. G. Activated silica gel
 J. Phys. Chem. 36, 475-89 (1932)

 Bartlett, E. P. Compressibility isotherms of hydrogen, nitrogen and mixtures of these gases at 0° and pressures to 1000 atmospheres
 J. Am. Chem. Soc. 49, 687-701 (1927)

 Bartlett, E. P., Cupples, H. L. and Tremearne, T. H. Compressibility isotherms of hydrogen, nitrogen and a 3:1 mixture of these gases at temperatures between 0° and 400° and at pressures to 1000 atmospheres J. Am. Chem. Soc. <u>50</u>, 1275-88 (1928)

 Bartlett, E. P., Hetherington, H. C., Kvalnes, H. M. and Tremearne, T. H. Compressibility isotherms of carbon monoxide at temperatures from -70° to 200° and at pressures to 1000 atmospheres
 J. Am. Chem. Soc. <u>52</u>, 1374-82 (1930)

 Bartlett, E. P., Hetherington, H. C., Kvalnes, H. M. and Tremearne, T. H. The compressibility isotherms of hydrogen, nitrogen and a 3:1 mixture of these gases at temperatures of -70°, -50°, -25° and -20°C and at pressures to 1000 atmospheres
 J. Am. Chem. Soc. 52, 1363-74 (1930)

Batuecas, T. Compressibility of certain gases at low pressures (in French)
 chim. phys. 31, 65-75 (1934)

- Battiecas, T.; Schlatter, C., and Maverick, G. Compressibility of gases; at 10 sand fbelow one atmosphere and their divergence from Avogadro's law. IV. Carbon monoxide and nitrogen (in French)

 J. chim. phys. 26, 548-55 (1929)
- 20. Beattie, J. A. and Bridgeman, O. C. A new equation of state for fluids
 Proc. Am: Acad. Arts Sci. 63, 229-308 (1928)
- Beattie, J. A. and Bridgeman, O. C. A new equation of state for fluids. II. Application to helium, neon, hydrogen, nitrogen, oxygen, air and methane. III. The normal densities and compressibilities of several gases at 0°C J. Am. Chem. Soc. 50, 3133-8 (1928)
- Beattie, J. A. and Ikehara, S. An equation of state for gas mixtures. II. A study of the methods of combination of the constants of the Beattie-Bridgeman equation of state Proc. Am. Acad. Arts Sci. 64, 127-76 (1930)
 - Becker, E. W. and Stehl, O. The viscosity difference between ortho and para hydrogen at low temperatures (in German)
 Physik 133, 615-28 (1952)
 - Beenakker, J. J. M. and Varekamp, F. H. Equation of state of hydrogen and its isctopes below 20°K Bull. inst. intern. froid Annexe 1956, No. 2, 189-94 (1956)
- Beenakker, J. J. M., Varekamp, F. H. and van Itterbeek, A.
 The isotherms of the hydrogen isotopes and their mixtures with helium at the boiling point of hydrogen
 Physica 25, 9-24 (1959)

- Benham, A. L. Vapor-liquid equilibria of light hydrocarbon systems containing hydrogen at low temperatures Ph. D. Thesis, Univ. of Mich., Ann Arbor (1956)
- Benham, A. L. and Katz, D. L. Vapor-liquid equilibria for hydrogen-light hydrocarbon systems at low temperatures A. I. Ch. E. Journal 3, 33-6 (1957)

- 28. Benham, A. L., Katz, D. L. and Williams, R. B. Phase behavior of hydrogen-light hydrocarbon systems A. I. Ch. E. Journal 3, 236-41 (1957)
- Benson, S. W. Critical densities and related properties of liquids
 Phys. & Colloid Chem. <u>52</u>, 1060-74 (1948)
- Berg, C., Fairfield, R. G., Imhoff, D. H. and Multer, H. J. Hypersorption-Process for separating gases Oil Gas J. 47, 95, 97, 130, 132, 135 (1949)
- Bergeon, R. The solubility of solids and liquids in compressed gases (in French)
 Genie chim. 79, 139-51 (1958)
- Bergholm, A. Vapor-liquid equilibria at high pressure (in Swedish)
 Syensk Kem. Tedskr. 63, 233-49 (1951)
- Bjerrum, N. The specific heat of gases. II. Oxygen, hydrogen, argon, nitrogen and water vapor (in German)
 Elektrochem. 18, 101-4 (1912)
- Blacet, F. E. and MacDonald, G. D. Microanalysis of gases. III. Hydrogen, carbon monoxide, hydrogen chloride and ammonia Ind. Eng. Chem. Anal. Ed. 6, 334-6 (1934)
- Blacet, F. E., MacDonald, G. D. and Leighton, P. A. Micro-analysis of gases. II. Carbon monoxide, ethylene and acetylene Ind. Eng. Chem. Anal. Ed. 5, 272-4 (1933)
- Black, C. Phase equilibria in binary and multicomponent systems. Modified van Laar-type equation Ind. Eng. Cnem. <u>50</u>, 403-12 (1958)
- Black, C. Vapor phase imperfections in vapor-liquid equilibria Ind. Eng. Chem. 50, 391-402 (1958)

38. Blondel, A. Microanalyzer for small gas samples (in French) Fonderie, No.: 144, 19-24 (1958)

 Bol'shakov, P. E. Partial molal volume, fugacity and activity coefficients of nitrogen and hydrogen in their mixtures at high pressure (in Russian)
 Acta Physicochim. U. R. S. S. 20, 259-67 (1945)

 Bollshakov, P. E., Gamburg, D. Yu., Efremova, G. D., Khazanova, N. E. and Tsiklis, D. S. Entropy-temperature diagrams for hydrogen, nitrogen, carbon monoxide, ethane and ethylene (in Russian) Trudy. Gosudarst. Nauch. -Issledovatel. i Proekt. Inst. Azot. Prom. 1952. No. 1, 67-71

 Botella, S. G. Compressibility of carbon monoxide at 0°, at surrounding temperatures and at pressure between 50 and 130 atmospheres (in Spanish)
 Anales soc. espan. fis y quim. 27, 315-50 (1929)

 Bratu, E. M. A general equation for calculating the pressure of saturated vapors (in Romanian)
 Bul. inst. natl. cercitari technol. 2, 36-49 (1947)

43.

45.

Bridgman, P. W. Compressibility of five gases to high pressures
Proc. Am. Acad. Arts Sci. <u>59</u>, 173-211 (1923)

 Briggs, H. Adsorption of gases by charcoal, silica and other substances
 Proc. Roy. Soc. (London) A100, 88-102 (1921)

Briggs, H. and Cooper, W. The adsorption of gas under pressure
Proc. Roy. Soc. (Edinburgh) 41, 119-27 (1920)

 Brodski, A. B. Calculation of the composition of equilibrium gas mixtures at high pressures (in Russian)
 Acta Physicochim. U. R. S. S. 17, 228-9 (1942)

47. Brunot, A. W. Properties of hydrogen mixtures Trans. Am. Soc. Mech. Engrs. 62, 613-9 (1940)

- '48. Burnett, E. S. Compressibility determinations without volume measurements
 J. Appl. Mechanics 3, 136-40 (1936)
- Burrell, G. A. and Robertson, I. W. Vapor pressures of various compounds at low temperatures
 U. S. Bur. Mines, Tech. Paper 142, 30 pp. (1916)
- S. Eur. Mines, Tech. Paper 142, 30 pp. (1916)
 Burshtein, R., Lèvin, P. and Petrov, S. Activated adsorption of gases on charcoal (in German)
- ot gases on charcoal (in German)
 Physik. Z. Sowjetunion 4, 197-211 (1933)

 51. Canjar, L. N., Ford, H. B. and Sebulsky, R. T. Predicting vapor-liquid equilibrium data, II,
- Petrol. Refiner 36, 135-9 (Oct. 1957)

 52. Cardoso, E. Critical point (in French)
 J. chim. phys. 10, 470-96 (1913)

- 53. Cardoso, E. Critical points of nitrogen, oxygen, carbon monoxide and methane (in French)

 chim. phys. 13, 312-50 (1916)

 54. Cardoso. E. Densities of the coexisting phases of methane and
 - Cardoso, E. Densities of the coexisting phases of methane and carbon monoxide (in French)

 Arch. sci. phys. et nat. 39, 403-4 (1915)
 - Cath, P. G. and Kamerlingh Onnes, H. The measurement of low temperatures, XXVII. Vapor pressure of hydrogen in the neighborhood of the boiling point and between the boiling point and the critical point Commun. Kamerlingh Onnes Lab, Univ. Leiden No. 152a, 15 pp. (1917)
- Cawood, W. and Patterson, H. S. Compressibilities of certain gases at low pressures and various temperatures
 J. Chem. Soc. 1933, 619-24 (1933)
- Chao, K. C. Isobarıc vapor-liquid equilibria Ind. Eng. Chem. <u>51</u>, 93-4 (1959)

58. Chester: F. P. and Dugdale, J. S. Melting curves of deuterium and hydrogen
Phys. Rev. 95, 278-9 (1954)

Claude, G. Adsorption of gases by charcoal at low temperatures (in French)
 Compt. rend. 158, 861-4 (1914)

62.

63.

Clusius, K. and Teske, W. Vapor pressures and vapor pressure constant of carbon monoxide (in German)
 physik. Chem. <u>B6</u>, 135-51 (1929)

 Cohen, E. D. G., Offerhaus, J. M., van Leeuwen, J. M. J., Roos, B. W. and DeBoer, J. The transport properties and equation of state of gaseous para- and ortho-hydrogen and their mixtures below 40*K Physica 21, 737-9 (1955)

Cohen, K. and Urey, H. C. Van der Waals' forces and the vapor pressure of ortho and para hydrogen and ortho and para deuterium

J. Chem. Phys. 7, 157-63 (1939)

Cook, D. and Rowhnsor, J. S. Deviations from the principle of corresponding states

Proc. Roy. Soc. (London) A219, 405-18 (1953)

64. Cook, M. W., Hangon, D. N. and Alder, B. J. Solubility of hydrogen and deuterium in non-polar solvents J. Chem. Phys. 26, 748-51 (1957)
65. Cook, M. W. and Hanson, D. N. Accurate measurements of

gas solubility
Rev. Sci. Instr. 28, 370-4 (1957)

66. Cottrell, T. L. Equations of state, physical properties and

thermodynamic transformation of intermolecular repulsive forces

Discussions Faraday Soc. 22, 10-6 (1956)

 Cottrell, T. L., Hamilton, R. A. and Taubinger, R. P. Second virial coefficients of gases and mixtures. II. Mixtures of carbon dioxide with nitrogen, oxygen, carbon monoxide, argon and hydrogen Trans. Faraday Soc. <u>52</u>, 1310-2 (1956)

- 68. Cramer, F. An empirical equation of state for extremely high pressures. II. (in German)
 Chem. Tech. (Berlin) 6, 590-5 (1954)
- Cremer, E. and Prior, F. Application of chromatographic methods to the separation of gases and determination of adsorption energies (in German)
 Elektrochem. <u>55</u>, 66-70 (1951)
- Crommelin, C. A., Bijleveld, W. J. and Brown, E. G. Vapour tensions, critical point and triple point of carbon monoxide (in Dutch)
 Proc. Koninkl. Akad. Wetenschap. Amsterdam 34, 1° 4-7 (1931)
- Grommelin, C. A. and Swallow, J. C. Isotherms of hydrogen from -217* to -240* at pressures up to 60 atmospheres Commun. Kamerlingh Onnes Lab. Univ. Leiden No. 172a, 7 pp. (1924)
- Cullen, E. J. and Kobe, K. A. Benedict equation of state: application to vapor-liquid equilibria
 A. I. Ch. E. Journal 1, 452-5 (1955)
- 73. De Boer, J. Equation of state of gases at low temperature Physica 24, S90-7 (1958)
- Deitz, V. R. Bibliography of solid adsorbents 1900-1942, 1943-1953
 Natl. Bur. Standards (U.S.), Circ. 566, 1528 pp. (1944)
- Deitz, V. R. and Gleysteen, L. F. Determination of carbon and hydrogen in bone black and chars
 J. Research Natl. Bur. Standards 28, 795-805 (1942)
- Delaplace, R. Pressures of some permanent gases at low temperatures in the presence of silica gel (in French) Compt. rend. 205, 664-5 (1937)

77: Deming, W. E. and Deming, L. S. Some physical properties of compressed gases. IV. The entropies of nitrogen, carbon monoxide and hydrogen
Phys. Rev. 45, 109-13 (1934)

Deming, W. E. and Shupe, L. E. Constants of the Beattle-Bridgeman equation of state with Bartlett's p-v-t data on hydrogen
 J. Am. Chem. Soc. 53, 843-9 (1931)

79.

compressed gases. II. Carbon monoxide
Phys. Rev. 38, 2245-64 (1931)

80. Deming, W. E. and Shupe, L. E. Some physical properties of
compressed gases. III. Hydrogen, nitrogen and carbon
monoxide

Deming, W. E. and Shupe, L. E. Physical properties of

 Denton, W. H., Shaw, B., Gayler, R. and Seager, P. Purification of hydrogen for distillation. Part II. Trans. Inst. Chem. Engrs. (London) 37, 277-88 (1959)

Phys. Rev. 40, 848-59 (1932)

 Denton, W. H., Shaw, B. and Ward, D. E. Purification of hydrogen for distillation Trans. Inst. Chem. Engrs. (London) 36, 179-200 (1958)

 DeSorbo, W., Milton, R. M. and Andrews, D. H. New cryogenic methods of using liquid hydrogen Chem. Revs. 39, 403-17 (1946)

84. Dewar, J. The adsorption and thermal evolution of gases occluded in charcoal at low temperatures. Adsorption of hydrogen, nitrogen, oxygen, argon, helium, electrolytic gas, carbonic oxide and oxygen and carbonic oxide at 0° and -185°C

Proc. Roy. Soc. (London) A74, 122-7 (1904)

Dewar, J. The densities of solid oxygen, nitrogen, hydrogen, argon, carbon monoxide, etc.
 Proc. Roy. Soc. (London) A73, 251-61 (1904)

- 86. Dició, A. Equation of state for carbon monoxide-hydrogen mixtures (in Italian)
 Riv. combustibili 11, 300-7 (1957)
- 87. van Dingenen, W. and van Itterbeek, A. Measurements of the adsorption of light and heavy hydrogen on charcoal between 90° and 17°K
 Physica 6, 49-58 (1939)
- 88. Dokoupil, Z., van Soest, G. and Swenker, M. D. P. The equilibrium between the solid phase and the gas phase of the systems hydrogen-nitrogen, hydrogen-carbon monoxide and hydrogen-nitrogen-carbon monoxide Appl. Sci. Research <u>A5</u>, 182-241 (1955)
- Dubinin, M. M. and Zaverina, E. D. Adsorption of gases by active carbons (in Russian)
 Doklady Akad. Nauk S. S. S. R. 72, 319-22 (1950)
 - Dugdale, J. S. and MacDonald, D. K. C. Influence of zeropoint energy on the thermodynamic properties of low boiling point elements
 Phil. Mag. [7], 45, 811-7 (1954)
- 91. Edwards, A. E. and Roseveare, W. E. The second virial coefficient of gaseous mixtures
 J. Am. Chem. Soc. <u>64</u>, 2816-9 (1942)
- Ehrett, W. E., Weber, J. H. and Hoffman, D. S. Predicting vapor-liquid equilibrium relations in multicomponent systems Ind. Eng. Chem. 51, 711-3 (1959)
- Ehrlich, G., Hicmott, T. W. and Hudda, F. G. The low-temperature chemisorption of nitrogen and carbon monoxide J. Chem. Phys. 28, 506-7 (1958)
- 94. English, W. N. Continuous purification of hydrogen in a large electron pulse chamber

 Rev. Sci. Instr. 22, 598-600 (1951)
- Estreicher, T. and Bobotek, J. The behavior of carbon monoxide at low temperatures (in French)
 Bull. intern. acad. sci. Cracovie 1913A. 451-62 (1913)

gases air, nitrogen, oxygen, carbon monoxide, carbon dioxide,

- 96. Eubanks, L. S. Vapor-liquid equilibrium in the system hydrogen-nitrogen-carbon monoxide Ph. D. Thesis, Rice Inst.; Houston (1956)
- 97. Eucken, E. U. and Lude, K. V. The specific heat of gases at medium and high temperatures. I. The specific heat of the
 - nitrous oxide and methane between 0° and 200° (in German) Z. physik, Chem. B5, 413-41 (1929)
- 98. Ewald, A. H. Solubility of solids in gases. Part II. Trans. Faraday Soc. 49, 1401-5 (1953)
- Ewaid, A. H., Jepson, W. B. and Rowlinson, J. S. The solubility of solids in gases
 Discussions Faraday Soc. 15, 238-43 (1953)

- 100. Faggiani, D. Energy, enthalpy and entropy of gases according to the most recent determinations (in Italian) Termotecnica (Milan) 1, 108-13 (1947)
 - Fales, H. A. and Shapiro, C. S. Thermodynamic properties of substances. III. Vapor volumes as functions of reduced temperature alone
 J. Am. Chem. Soc. 62, 393-406 (1940)
 - 102. Falk, G. and Mann, A. Viscosity of o- and p-hydrogen (in German)
 Z. Physik 142, 277-96 (1955)
- Farkas, A. Orthohydrogen, parahydrogen and heavy hydrogen University Press, Cambridge 215 pp. (1935)
- 104. Fastovskii, V. G. and Gonikberg, M. G. Solubility of gases in liquids at low temperature and high pressure. III. Solubility of hydrogen in liquid methane (in Russian) Acta Physicochim. U. R. S. S. 12, 427-8 (1940)
 - 105. Fedorova, M. F. Binary mixtures of substances melting at low temperatures (in Russian) Zhur. Eksp. 1 Teoret. Fiz. 8. 425-35 (1938)

106. Fenning, R. W. and Whiffin, A. C. The specific heat of gases at high temperatures: carbon monoxide, nitrogen, carbon dioxide, hydrogen, water vapor. Explosion method Trans. Roy. Soc. (London) A238, 149-212 (1939)

Firth, J. B. Sorption of hydrogen by palladium at low

J. Chem. Soc. 117, 171-83 (1920)

108. Fischer, V. Equilibrium isotherms and isobars of carbon

temperatures

- monoxide-nitrogen-hydrogen mixtures (in German) Ann. Physik [5], 31, 531-9 (1938)
- 109. Fischer, V. The analysis of a muture of carbon monoxide, nitregen and hydrogen (in German)
 Tech. Mech. u. Thermodynam. 1, 268-76 (1930)
 - Foreman, J. K. Microdetermination of carbon dioxide, oxygen, carbon monoxide and hydrogen in gaseous mixtures by the Krogh method (in Austrian)
 Mikrochim, Acta 1956, 1481-7 (1956)
- Franck, E. U. Solubility of solid substances in compressed gases (in German)
 physik. Chem. (Frankfurt) 6, 345-55 (1956)
- Franck, E. U. Thermal conduction in highly compressed gases (in German)
 Z. physik. Chem. (Leipzig) 201, 16-31 (1952)
- Freundlich, H. Adrorption and occlusion (in German)
 physik. Chem. (Leipzig) 61, 249-54 (1907)
- Friedman, A. S. P-V-T relationships of gaseous hydrogen, nitrogen and hydrogen-nitrogen mixtures
 Ph. D. Thesis, Ohio State Univ., Columbus (1950)
- Friedman, A. S. and Oppenheim, I. Equation of state of hydrogen isotopes at intermediate densities Phys. Rev. 98, 258 (1955)

- Friedman, A. S., White, D. and Johnston, H. L. Critical constants, boiling points, triple point constants and vapor pressure of the six isotropic hydrogen molecules based on a simple mass relationship
 J. Chem. Phys. 19, 126-7 (1951)
 Friedman, H. L. Nonideality of liquid ortho-para hydrogen
- solutions
 J. Chem. Phys. 27, 220-3 (1957)

 118. Frolich, P. K., Tauch, E. J., Hogan, J. J. and Peer, A. A. Solubilities of gases in liquids at high pressures
- Ind. Eng. Chem. 23, 548-50 (1931)

 119. Frolich, P. K. and White, A. Adsorption of methane and hydrogen on charcoal at high pressure Ind. Eng. Chem. 22, 1058-60 (1930)
- Ganguli, A. The adsorption of gases by solids
 J. Phys. Chem. 34, 665-8 (1930)
 Garner, W. E. and Maggs, J. Adsorption of carbon monoxide
 on sinc oxide.
- on zinc oxide
 Trans. Faraday Soc. 32, 1744-8 (1936)

 122. Gerf, S. F. and Galkov, G. I. Viscosity of liquefied pure
- 123. Geyer, E. W. Specific heats and energy charts for gases
 Mech. Eng. 159, 381-3, 423-4 (1945)

gases and their mixtures, Part III. (in Russian)

Zhur, Tekh, Fiz, 11, 801-8 (1941)

Phil. Mag. [6], 50, 146-56 (1925)

- 124. Giacomini, F. A. The temperature dependency of the molecular heats of gases, especially of ammonia, methane and hydrogen at low temperatures
- Giauque, W. F. The entropy of hydrogen and the third law of thermodynamics. The free energy and dissociation of hydrogen
 J. Am. Chem. Soc. 52, 4816-31 (1930)

- 126. Gibert, R. and Dognin, A. The calculation of the force constants of Lennard-Jones potentials (in French) Compt. rend. 246, 2607-9 (1958)
- 127. Gilliland, E. R. P-V-T relations of gaseous mixtures Ind. Eng. Chem. 28, 212-5 (1936)

- Gilliland, E. R. and Sullivan, T. E. Fugacity of vapor mixtures Chem. Eng. Progr. Symposium Ser. No. 2, 48, 18-27 (1952)
- 129. Godridge, A. M. Some properties of gas mixtures Bull, Brit. Coal Utilisation Research Assoc. 18, 1-21 (1954)
- Goff, J. A. and Gratch, S. Zero-pressure thermodynamic properties of carbon monoxide and nitrogen Trans. Am. Soc. Mech. Engrs. 72, 741-9 (1950)
- Goffredo, L. A review of methods for the determination of small quantities of carbon monoxide (in Italian) Riv. combustibili 7, 84-5 (1953)
- 132, Goig, S. The compressibility of carbon monoxide at 0° and above 50 atmospheres (in French) Compt. rend. 189, 246-8 (1929)
- 133. Goig, S. Compressibility of carbon monoxide at 0° and ordinary temperatures between 50 and 1,0 atmospheres (in French) J. chim. phys. 27, 212-35 (1930)
- 134. Goldhammer, D. A. Studies in the theory of corresponding states (in German) Z. physik. Chem. 71, 577-624 (1910)
- 135. Gonel, H. W. Gas purification in the chemical industry (in German) Chem. Fabrik 6, 479-80 (1933)
- 136. Gonikberg, M. G. Regular solutions of gases in liquids. I. Regular solutions of hydrogen (in Russian) Zhur, Fiz. Khim, 14, 582-8 (1940)

- 137. Gonikberg, M. G. Regular solutions of gases in liquids. II. More concentrated solutions of hydrogen at high pressures (in Russian) Acta Physicochim. U. R. S. S. 12, 921-30 (1940)
- 138. Gonikberg, M. G., Fastovskii, V. G. and Gurvitsch, J. G. Solubility of gases in liquids at low temperatures and high pressures. I. Solubility of hydrogen in liquid nitrogen at 79° -109*K and at pressures up to 190 atmospheres (in Russian) Acta Physicochim. U.R.S.S. 11, 865-82 (1939)
- 139. Granet, I. Physical properties of hydrogen in convenient graphical form Petrol. Refiner 33, 205-6 (1954)

- 140. Gratch, S. Vapor pressure, specific volume, p-v-t data for hydrogen, nitrogen, oxygen, carbon monoxide, carbon dioxide, air, helium, argon and mercury Trans. Am. Soc. Mech. Engrs. 70, 631-40 (1948)
- Greco, G., Casale, C. and Negri, G. Liquid-vapor equilibria at elevated pressures of one component in the presence of noncondensable components (in Italian) Compt. rend. congr. intern. chim. ind. 27e Congr., Brussels, 1954. Published as Ind. chim. belge. 20, Special No. 251 (1955)
- 142. Greene, S. A., Moberg, M. L. and Wilson, E. M. Separation of gases by gas adsorption chromatography Anal. Chem. 28, 1369-70 (1956)
- 143. Gregory, H. S and Archer, C. T. The thermal conductivities of carbon monoxide and nitrous oxide Proc. Roy. Soc. (London) A121, 285-93 (1928)
- 144. Grilly, E. R. Relationships between transport properties of gases Am. J. Phys. 20, 447-50 (1952)
- 145. Grilly, E. R. The vapor pressures of hydrogen, deuterium and tritium up to 3 atmospheres J. Am. Chem. Soc. 43, 843-6 (1951)

- 146: 'Groth, V. W., Ihle, H. and Murrenhoff, A. Determination of the temperature dependence of the vapor pressure relations (in German)
 Z. Naturforsch. 9a, 895-6 (1954)
- 147. Guelperine, N. I. and Naiditch, I. M. "I-S" diagrams for hydrogen, carbon monoxide, nitrogen, nitrogen and hydrogen, and carbon monoxide and hydrogen (in French) Chim. & ind. (Paris) 34, 1011-20 (1935)
- Guertler, W. and Prani, M. The melting points of the pure elements (in German)
 Z. Metallk. 11, 1-7 (1919)
- 149. Guggenheim, E. A. The principle of corresponding states J. Chem. Phys. 13, 253-6 (1945)
- 150. Guggenheim, E. A. The statistical mechanics of rogular solutions Proc. Roy. Soc. (London) <u>A148</u>, 304-12 (1935)
- Guggenheim, E. A. Virial coefficients and corresponding states of gases
 Revs. Pure and Appl. Chem. (Australia) 3, 1-24 (1953)
 - 152. Guggenheim, E. A. and McGlashan, M. L. Corresponding states in mixtures of slightly imperfect gases Proc. Roy. Soc. (London) <u>A206</u>, 448-63 (1951)
- 153. van Gulik, W. and Keesom, W. H. The fusion line of hydrogen up to 245 kg/sq cm Commun. Kamerlingh Onnes Lab. Univ. Leiden No. 192b, 3 pp. (1928)
- 154. Guye, P. A. and Batuccas, T. The compressibility of several gases at 0° and up to one atmosphere and the deviation from Avogadro's law. I. Oxygen, hydrogen and carbon dioxide (in French)
 Helv. Chim. Acta 5, 532-43 (1922)
- 155. Habada, M. and Hajda, J. Compressibility of hydrogen (in Czech.)
 Chem. prümysl 3, 68-72 (1953)

a magnetic age affire the consequences in

- 156. Hala, E., Jiri, P., Vojtech, F. and Otakav, V. Vapor liquid equilibrium Pergamon Press, New York, 1958, pp. 299-365
- Harper, B. G. and Moore, J. C. Vapor-liquid equilibria Ind. Eng. Chem. 49, 2010 (1957)
- 158. Hausen, H. Influence of the Lewis coefficient on the freezingout of vapors from gas-vapor mixtures (in German) Angew. Chem. <u>B20</u>, 177-82 (1948)
- Havlicek, V. The coefficients of compressibility for gases (in Czech.)
 Strojirenstvi 8, 903-4 (1958)
- Hawkins, G. A. Brief review of available data on the dynamic viscosity and thermal conductivity for twelve gases Trans. Am. Soc. Mech. Engrs. 70, 655-9 (1948)
- 161. Hempel, W. Determination of hydrogen and methane in gas mixtures (in German)
 Z. angew. Chem. 25, 1841-5 (1912)
- Henning, F. and Heuse, W. A new determination of the normal boiling points of oxygen, nitrogen and hydrogen (in German)
 Physik 23, 105-16 (1924)
- 163. Henning, F. and Stock, A. Saturation pressure of some vapors between 10° and -181° (in German) Z. Physik 4, 226-44 (1921)
- Herz, W. On the b of the van der Waals' equation (in German)
 Elektrochem. 29, 527-30 (1923)
- 165. Hill, R. W. and Ricketson, B. W. A. A lambda-anomaly in the specific heat of solid hydrogen Phil. Mag. [7], 45, 277-82 (1954)
- 166. Hilsenrath, J. (Editor) Tables of thermal properties of gases Natl. Bur. Standards (U.S.) Circ. 564, 201-53 (1955)

- 167. Himpan, J. A new thermodynamic equation of state for gases and liquids (in Austrian)

 Monatsh. Chem. 84, 787-97 (1953)
- 168. Hirschfelder, J. O., Bird, R. B. and Spotz, E. L. The transport properties of non-polar gases J. Chem. Phys. 16, 968-81 (1948)
- 169. Hitz, K., Scheller, W. and Treadwell, W. D. The mixed adsorption of hydrogen, oxygen and nitrogen with carbon dioxide on Linden charcoal (in German) Helv, Chim. Acta 34, 1783-90 (1951)
- Hofsass, M. Separation of chemically pure hydrogen from gaseous mixtures (in German)
 kompr. fluss, Gase 30, 13-4 (1933)
- Hoge, H. J. Heat capacity of a two-phase system with application to vapor correction in calorimetry J. Research Natl. Bur. Standards 36, 111-8 (1946)
- 172. Hoge, H. J. and Arnold, R. D. Vapor pressures of hydrogen, deuterium and hydrogen deuteride and the dew-point pressures of their mixtures J. Research Natl, Bur. Standards 47, 63-74 (1951)
- 173. Hoge, H. J. and Lassiter, J. W. Critical temperatures, pressures and volumes of hydrogen, deuterium and hydrogen deuteride J. Research Natl. Bur. Standards 47, 75-9 (1951)
- 174. Holborn, L. and Otto, J. Isotherms of helium, hydrogen and neon below -200* (in German)
 Z. Physik 38, 359-67 (1926)
- Holborn, L. and Otto, J. The isotherms of various gases between 400° and -183° (in German)
 Physik 33, 1-12 (1925)
- Hollings, H. and Griffith, R. H. Activated adsorption of hydrogen Nature 129, 834 (1932)

- Homfray, I. F. Adsorption of gases by charcoal Proc. Roy. Sc. (London) A84, 99-106 (1910)
- 178. Homfray, I. F Adsorption of gases by charcoal (in German) Z. physik. Chem. 74. 129-201 (1910)
- Husing, E. Adsorption of gases and gas mixtures by special charcoals (in German)
 tech. Physik 17, 289-301 (1936)
- i80. van Itterbeek, A. The dependency of C₂/C₃ on pressure for hydrogen gas deduced from measurements of the velocity of sound at liquid hydrogen temperatures
 Commun, Kamerlingh Onnes Lab. Univ. Leiden, Supp. No. 70b, 7-12 (1932)
- van Itterbeek, A. and Borghs, J. The van der Waals adsorption of gases (in German)
 physik, Chem. B50, 128-42 (1942)
- 182. van Itterbeek, A. and van Dingenen, W. Adsorption isotherms and heats of adsorption of oxygen and carbon monoxide on charcoal in the temperature range of 50° to 90°K Physica 4, 1169-80 (1937)
- 183. van Itterbeek, A. and van Dingenen, W. Determination of adsorption isotherms of hydrogen on charcoal between 90° and 50°K ir connection with desorption experiments Physica 2, 389-4 '2 (1937)
- Jager, G. The theory of the solubility of gases in liquids (in Germa;)
 Sitzb. Akad. Wiss., Wien, Abt. IIa, 124, 287-304 (1915)
- Janak, J., Krejci, R. and Dubdsky, H. E. Zeolites in gas chromatography. I. Separation and analysis of mixtures of hydrogen, nitrogen, carbon monoxide and methane (in Czech.) Chem. listy 52, 1099-107 (1957)
- 186. Joffe, J. Fugacities in gas mixtures Ind. Eng. Chem. 40, 1738-41 (1948)

- Johnson, M. C. An analysis of hydrogen adsorption phenomena Trans. Faraday Soc. 29, 1139-55 (1933)
- 188. Johnson, V. J. Removal of nitrogen from hydrogen with silica gel at low temperatures Advances in Cryogenic Eng. 3, 11-8 (1960)
- Johnson, V. J. (Editor) A compendium of the properties of materials at low temperatures - phase I.
 Nati. bur. Standards Cryogenic Eng. Lab., Boulder, Colorado (Dec. 1959)
- Johnston, H. L., Bezman, I. I. and Hood, C. B. Joule-Thomson effects in hydrogen at liquid air and at room temperatures
 J. Am. Chem. Soc. 68, 2367-73 (1946)
- 191. Johnston, H. L., Bezman, I. I., Rubin, T., Jensen, L., White, D. and Fricdman, A. S. Gaseous data of state for hydrogen between 1 and 200 atmospheres from 20° to 300°K Phys. Rev. 79, 235 (1950)
- Johnston, H. L., Keller, W. E. and Friedman, A. S. The compressibility of liquid normal hydrogen from the boiling point to the critical point at pressures up to 100 atmospheres J. Am. Chem. Soc. 76, 1482-6 (1954)
- 193. Johnston, H. L. and White, D. Pressure-volume-temperature relationships of gaseous normal hydrogen from its boiling point to room temperature from 0 to 200 armospheres Trans. Am. Soc. Mech. Engrs. 72, 785-7 (1950)
- 194. Johnston, H. L. and White, D. Summary of experimental determinations of the J-T effects in gases Trans. Am. Soc. Mech. Engrs. 70, 651-5 (1948)
- 195. Johnston, H. L., White, D., Wirth, H., Swanson, C., Jensen, L. H. and Friedman, A. S. Gaseous data of state. II. The p-v-t relationships of gaseous normal hydrogen from the critical temperature to room temperature and up to 200 atmospheres pressure

 T. R. 264-25, Ohio State Cryogenic Lab. (Nov. 25, 1953)

- Joyner, L. G., Weimberger, E. B. and Montgomery, C. W. Surface area measurements of activated carbon, silica gel and other adsorbents J. Am. Chem. Soc. 67, 2182-8 (1945)
- 197. Justi, E. Thermodynamics of real gas mixtures (in German) Forsch. Gebiete Ingenieurw, 15, 18-21 (1944)
- 198. Kamerlingh Onnes, H. An apparatus for the purification of gaseous hydrogen by liquid hydrogen (in Dutch) Koninkl. Akad. Wetenschap. Amsterdam 11, 883-6 (1910)
- Kamerlingh Onnes, H. Expression of the equation of state of gases and liquids by means of a series Commun. Kamerlingh Onnes Lab. Univ. Leiden No. 71, 3-25 (1901)
- 200. Kamerlingh Onnes, H. and Braak, C. Isotherms of hydrogen between -104°C and 217°C Commun. Kamerling Onnes Lab. Univ. Leiden No. 97a, 28 pp. (1906) and Nos. 99a, 3 pp., 100a, 9 pp. (1907)
- 201. Kamerlingh Onnes, H. and Crommelin, C. A. Isotherms of diatomic substances and their binary mixtures, XIII. Liquid densities of hydrogen between the boiling point and the triple point; contraction of hydrogen on freezing Commun. Kamerlingh Onnes Lab. Univ. Leiden No. 137a, 3 pp. (1913)
- Kamerlingh Onnes, H. and Weber, S. Vapor pressure of substances of low critical temperature at low temperatures Verslag. Akad. Wetenschap. Amsterdam 22, 226-39 (1914)
- Kast, H. and Selle, H. Detection and colorimetric determination of carbon monoxide (in German)
 Gas-u Wasserfach 69, 812-5 (1926)
- Kawakita, K. and Itiyanagi, B. Elimination of a small amount of carbon monoxide in hydrogen (in Japanese)
 J. Soc. Chem. Ind. Japan 43, Suppl. Binding 121 (1940)

- 205. Kazavchinskii, Ya. A. A method of determining the constants for the virial form of the equation of state for a real gas (in Russian) Doklady Akad. Nauk S. S. S. R. 95, 1005-8 (1954)
- Keesom, W. H. Second virial coefficient for diatomic gases (in Dutch)
 Koninkl. Ned. Akad. Wetenschap. Proc. 15, 417-31 (1913)
- Keesom, W. H. Thermodynamic investigations including triple
 point and critical magnitudes of oxygen, argon, nitrogen, neon,
 hydrogen and helium (in German)
 Onnes-Festschrift 1922, 89-163 (1922)
- Keier, N. P. and Roginskii, S. Z. The kinetics of desorption of activated adsorbed hydrogen (in Russian)
 Zhur. Fiz. Khim. 23, 897-916 (1949)
- 209. Keier, N. P. and Roginskii, S. Z. The properties of broadly heterogeneous surfaces as shown by the study of the adsorption of oxygen and hydrogen on activated charcoal (in Russian) Problemy Kinetiki i Kalaliza, Akad. Nauk S. S. S. R. No. 7, 410-35 (1949)
- Kihara, T. Virial coefficients and intermolecular potential of small, non-spherical molecules
 J. Phys. Soc. Japan 11, 362-6 (1956)
- Kingman, F. E. T. Adsorption of hydrogen on charcoal Nature 127, 742 (1931)
- Kingman, F. E. T. Adsorption of hydrogen on charcoal Trans. Faraday Soc. 28, 269-72 (1932)
- 213. Kinosita, M. and Oisi, J. Expansion and pressure coefficients of nitrogen, hydrogen, helium and neon and the absolute temperature of 0°C
 Phil. Mag. [7], 24, 52-62 (1937)
- 214. Koeppe, W. The integral J-T effect for hydrogen at low temperatures and pressures up to 120 atmospheres (in German) Kaltetechnik 8, 275 (1956)

- 215. Koğan, V. B. and Fridman, V. M. Computation methods for phase equilibrium for binary liquid-vapor systems (in Russian) Zhur. Fiz. Khim. 28, 1889-95 (1954)
- Kogan, V. B., Lazarev, B. G. and Bulatova, R. B. State diagram of the hydrogen-deuterium system (in Russian)
 Zhur. Eksptl. i Teoret. Fiz. 34, 238-40 (1958)
- Kohl, A. L. and Riesenfeld, F. C. Today's processes for gas purification
 Chem. Eng. 66, 127-78 (June 15, 1959)
- 218. Kolsky, R. G., Gilmer, R. M. and Gilles, P. W. Free-energy functions for 54 gaseous elements J. Chem. Phys. 27, 494-5 (1957)
- Komarov, P., Likhter, A. and Ruhemann, M. The diagrams of state of mixtures fusing at low temperatures: systems nitrogen-oxygen and nitrogen-carbon monoxide (in Russian) Zhur. Tekh. Fiz. 5, 1723-8 (1935)
- 220. Kordes, E. General equation of state for saturated vapors (in German) Naturwissenschaften 40, 359-60 (1953)
- 221. Kordes, E. The heterogeneous equilibrium liquid-vapor (in German)
 Z. Elektrochem. 58, 424-31 (1954)
- Korsching, H. Diffusion-separator for gases (in German)
 Naturforsch. 6a, 213-7 (1951)
- Kortum, G., Freier, H. J. and Woerner, F. The dynamic method for the determination of vapor-liquid equilibria (in German) Chem. -Ing. -Tech. 25, 125-33 (1953)
- 224. Kritscheveskii, I. R. and Kazarnovskii, Ya. S. An equation of state for gaseous mixtures (in Russian) Acta Physicochim. U. R. S. S. 10, 217-44 (1939)

- Kritscheveskii, I. R. and Levchenko, G. T. Compressibility of gas mixtures, II. P-V-T data for binary and ternary mixtures of methane, nitrogen and hydrogen (in Russian) Acta Physicochim. U. R. S. S. 14, 271-8 (1941)
- 226. Kritscheveskii, I. R. and Markov, V. P. The compressibility of gas mixtures. I. The p-v-t data for binary and ternary mixtures of hydrogen, nitrogen and carbon dioxide (in Russian) Acta Physicochim. U. R. S. S. 12, 59-66 (1940)
- Kyryacos, G. and Boord, C. E. Separation of hydrogen, oxygen, nitrogen, methane and carbon monoxide by gas adsorption chromatography Anal. Chem. 29, 787-8 (1957)
- 228. van Laar, J. J. The critical density of hydrogen, helium and neon (in Dutch) Chem. Weekblad 16, 1557-64 (1919)
- Lachmann, W. Process and apparatus for separating mixtures
 of gases or vapors by adsorption or chemical combination (in
 German)
 Sauerstoff-Stickstoff-Ind. 16, 5-11 (1924)
- Lachowicz, S. K. Solubility of gases in liquids at high pressures
 J. Imp. Coll. Chem. Eng. Soc. 8, 51-68 (1954)
- Lachowicz, S. K. The relative solubility of hydrogen and deuterium in liquids at low temperatures Research Correspondence 8, No. 6, S 27-8 (1955)
- Lambert, B. and Heaven, H. S. Gas-solid equilibria. VI. Adsorption from binary gas mixtures by silica gel Proc. Roy. Soc. (London) <u>A153</u>, 584-600 (1936)
- Phys. Rev. 6, 79-80 (1915)

Langmuir, J. Theory of adsorption

233.

Leduc, A. Expansion coefficients in gases (in French)
 Compt. rend. 148, 1173-6 (1909)

- Lee, J. F. Specific heat of gases at the critical point (in German)
 angew. Math. u. Phys. 4, 401-4 (1953)
- 236. Lennard-Jones, J. E. The molecule fields of hydrogen,
- nitrogen and neon
 Proc. Roy. Soc. (London) All2, 214-29 (1926)
- Lennard-Jones, J. E. and Cook, W. R. The equation of state of a gaseous mixture Proc. Roy. Soc. (London) Al15, 334-48 (1927)
- Lenoir, J. M. and Hipkin, H. G. Equilibrium ratios of hydrogen and the critical locus of hydrogen-paraffin mixtures
 A. I. Ch. E. Journal 3, 318-20 (1957)
- Lepointe, R. Heat of adsorption of gases by charcoal at -183°C (in French)
 J. phys. radium 7, 469-72 (1936)
- Lewis, W. K., Gilliland, E. R., Chertow, B. and Cadogan, W. P. Adsorption equilibria. Pure gas isotherms Ind. Eng. Chem. 42, 1326-32 (1950)
- Liang, S. C. Low vapor pressure measurements and thermal transpiration
 Phys. Chem. 56, 660-2 (1952)
- Livingston, M. K. The cross-sectional areas of molecules adsorbed on solid surfaces
 J. Colloid Sci. 4, 447-58 (1949)
- Lorenz, R. and Magnus, A. The separation of gas mixtures by diffusion (in German)
 Z. anorg. u. aligem. Chem. 136, 97-113 (1924)
- Lorenz, R. and Wiedbrauck, E. Adsorption equilibria of mixtures of two gases (in German)
 anorg. u. allgem. Chem. 143, 268-76 (1925)
- Lowry, H. H. and Morgan, S. O. The adsorption of gases by graphic carbon
 Phys. Chem. 29, 1105-15 (1925)

- 246. Lu, B. C. Y., Li, J. C. M. and Ting, T. W. Cluster theory of vapor-liquid equilibria Ind. Eng. Chem. 51, 219-22 (1959)
- Lydersen, A. L. and Hammer, E. Vapor-liquid ecuilibrium still for low pressures
 Chem. Eng. Sci. 7, 241-5 (1958)
- 248. Magnus, A. and Roth, N. Adsorption. VII. The adsorption of carbon dioxide-hydrogen mixtures on wood charcoal (in German)
 Z. anorg. u. allgem. Chem. 150, 311-25 (1926)
- 249. Maidanovskaya, L. G. Adsorption of hydrogen on silica gel and glass (in Russian) Zhur. Fiz. Khim. 6, 1111-6 (1935)
- 250. Maidanovskaya, L. G., Panfilov, I. A. and Zakharova, R. O. Adsorption of hydrogen and some electrolytes on 1ron oxide (in Russian)
 Uchenye Zapiski Tomsk. Gosudarst. Univ. 1m V. V. Kuibysheva No. 26, 93-102 (1955)
- Malanchuk, M. and Stuart, E. B. Effect of heat treatment on silica gel Ind. Eng. Chem. <u>50</u>, 1207-10 (1958)
- 252. Margenau, H. The second virial coefficient for gases: a critical comparison between theoretical and experimental results
 Phys. Rev. 36, 1782-90 (1930)
- Markiv, V. P. Compressibility of gaseous mixtures. II. Verification of the equation of state for gaseous mixtures (in Russian)
 Zhur. Fiz. Khim. 15, 410-5 (1941)
- Maron, S. H. and Turnbull, D. Equation of state for gases at high pressures involving only critical constants J. Am. Chem. Soc. 64, 2195-8 (1942)

- 255. Marshak, R. E., Morse, P. M. and York, H. Equation of state of hydrogen, helium and Russell mixtures at high pressures and temperatures Astrophys. J. 111, 214-20 (1950)
- 256. Martin, J. J. and Hou, Y. C. Development of an equation of state for gases
 A. I. Ch. E. Journai 1, 142-51 (1955)
- Martin, J. J., Kapoor, R. M. and DeNevers, N. An improved equation of state for gases
 A. I. Ch. E. Journal <u>5</u>, 159-60 (1959)
- Maslan, F. D. and Aberth, E. R. Equation of state for liquids J. Chem. Phys. 19, 658-9 (1951)
- 259. Maslan, F. D., Altman, M. and Aberth, E. R. Prediction of gas-adsorbent equilibria J. Phys. Chem. 57, 106-9 (1953)
- 260. Maslan, F. D. and Littman, T. M. Compressibility chart for hydrogen and inert gases Ind. Eng. Chem. 42, 1566-8 (1953)
 - Mathias, E. Study of density curves at low temperatures (in German)
 Physik. Ber. 4, 701-2 (1923)
- 262. Mathias, E. and Crommelin, C. A. Carbon monoxide and helium (in French) Ann. phys. <u>5</u>, 137-66 (1936)
- 263. Mathias, E. and Crommelin, C. A. Work done in the Leiden cryogenic lab. concerning the equation of state of argon, neon and hydrogen between the 3rd and 4th intern. congr. of refrig. Proc. Intern. Congr. Refrig. 4th Congr., London, 1, 89-106 (1924)
- Mathot, V., Stavely, L. A. K., Young, J. A. and Parsonage, N. G. Thermodynamic properties of the system methanecarbon monoxide at 90.67°K
 Trans. Faraday Soc. 52, 1488-1500 (1956)

- 265. Maverick, S. and Schlatter, C. Compressibility at 0° and below 1 atmosphere and the deviation from the law of Avogadro of several gases (in French) J. chim. phys. 27, 36-43, 44-53 (1930)
 - McBain, J. W. The mechanism of the adsorption of hydrogen by carbon Phil. Mag. [6], 18, 916-35 (1909)

- McBain, J. W. and Britton, G. T. The nature of the sorption by charcoal of gases and vapors under great pressure J. Am. Chem. Soc. <u>52</u>, 2198-222 (1930)
- 268. McLellan, A. G. A new function in the theory of fluids and an equation of state for liquids and gases Phil. Mag. [8], 3, 707-14 (1958)
- Megaw, H. D. The density and compressibility of solid hydrogen and deuterium at 4, 2°K
 Phil. Mag. [7], 28, 129-47 (1939)
- Medek, J. Gas adsorption on the surface of solids (in Czech.)
 Paliva 34, 292-8 (1954)
- Melkonian, G. A. and Reps, B. Isotope displacement by adsorption and desorption on silica gels at low temperatures and pressures (in German)
 Elektrochem. 58, 616-9 (1954)
- Meyer, G. and Slooff, A. Determination of carbon monoxide in admixture with hydrogen and methane Rec. trav. chim. <u>54</u>, 800-3 (1935)
- Meyers, C. H. An equation for the isotherms of pure substances at their critical temperatures
 J. Research Natl. Bur. Standards 29, 157-76 (1942)
- Michels, A. An experiment on the interaction of dissimilar molecules (in Italian)
 Nuovo cimento, Suppl. 4, 358-64 (1958)

- Michels, A., de Graaff, W., Wassenaar, T., Levelt, J. M. H. and Louwerse, P. Compressibility isotherms of hydrogen and deuterium between -175°C and 150°C
 Physica 25, 25-42 (1959)
- 276. Michels, A. and Gerver, A. J. J. A recalculation of the isothermal measurements of Kohnstamm and Walstra (in German) Ann. Physik [5], 16, 745-50 (1933)
- Michels, A. and Goudeket, M. Compressibility of hydrogen between 0° and 150° up to 3000 atmospheres Physica 8, 353-9 (1941)
- 278. Michels, A. and Goudeket, M. Thermodynamic properties of hydrogen and deuterium up to 700 amagats between 0* and 150* Physica 8, 387-97 (1941)
- Michels, A., Lunbeck, R. J. and Wolkers, G. J. Thermodynamic properties of carbon monoxide at temperatures between 0°C and 150°C and at densities up to 600 amagat Physica 18, 128-34 (1952)
- Michels, A., Nijhoff, G. P. and Gerver, A. J. J. Isothermal measurements on hydrogen between 0° and 100° and up to 1000 atmospheres (in German)
 Ann. Physik [5], 12, 562-8 (1932)
- Michels, A., Wassenaar, T. and Swietering, T. N. The vapor pressure of carbon monoxide Physica 18, 160-2 (1952)
- Millar, R. W. Specific heats of polyatomic gases at low temperatures
 J. Am. Chem. Soc. 45, 874-81 (1923)
- Mills, R. L. and Grilly, E. R. Melting curves of helium 3, helium 4, hydrogen, deuterium, neon, nitrogen and oxygen up to 3500 kg/sq cm Phys. Rev. 99, 480-6 (1955)
- Mills, R. L. and Grilly, E. R. Melting curves of hydrogen, deuterium and tritium up to 3500 kg/sq cm Phys. Rev. 101, 1246-7 (1956)

Mıyako, R. Viscosity and second virial coefficients of gaseous hydrogen at low temperatures (in Japanese) Proc. Phys. Math. Soc. Japan [3], 24, 852-63 (1942)

- 286. Mizuike, A. Gas microanalysis. Absorption and explosion method (in Japanese) Japan Analyst 3, 17-21 (1954)
- 287. Mizushima, M. Theory of intermolecular potential and the second virial coefficient of hydrogen at low temperatures J. Chem. Phys. 21, 2107-14 (1953)
- 288. Moles, E. and Salazer, Y. M. T. A revision of the density of the normal liter of carbon monoxide. The atomic weight of carbon (in Spanish) Anales soc. espan. fis. y quim. 30, 182-99 (1932)
- Mori, Y. The perfect gas and the equation of state of real 289. gases J. Sic. Research Inst. (Tokyo) 48, 272-9 (1954)
- 290. Morrison, T. J. and Billett, F. Measurement of gas solubilities J. Chem. Soc. 1948, 2033-5 (1948)
- 291. Nelson, L. C. and Obert, E. F. Generalized p-v-t properties of gases Trans. Am. Soc. Mech. Engrs. 76, 1057-66 (1954)
- 292. Nelson, L. C. and Obert, E. F. Laws of corresponding states A. I. Ch. E. Journal 1, 74-7 (1955)
 - 293. van Ness, H. C. Use of the Redlich and Kwong equation of state in calculating thermodynamic properties of gases from experimental compressibility data A. I. Ch. E. Journal 1, 100-4 (1955)
- 294. van Ness, H. C. and Mrazek, R. V. Treatment of thermodynamic data for homogeneous binary systems A. I. Ch. E. Journal 5, 209-12 (1959)

- 295. Neusser, E. The van der Waals' equation for rare gases (in German) Physik. Z. 33, 76-81 (1932)
- Neven, P. and van Tiggelen, A. Quantitative adsorption of hydrogen Bull. soc. chim. Belges 61, 328-9 (1952)
- Nijhoff, G. P. and Keesom, W. H. Isotherms of hydrogen at temperatures of 0° and 100°C
 Commun. Kamerlingh Onnes Lab. Univ. Leiden No. 188d, 4 pp. (1927)
- 298. Nijhoff, C. P. and Keesom, W. H. Isotherms of hydrogen at temperatures from -225.5* to -248.3*C and pressures from 1.6 to 4.2 atmospheres Commun. Kamerlingh Onnes Lab. Univ. Leiden No. 188e, 2 pp. (1928)
- 299. Nosanow, L. H. and Mayer, J. E. The virial coefficients for a Lennard-Jones gas J. Chem. Phys. 28, 874-7 (1958)
- Oiski, J. 0° and 100° isotherms of helium, hydrogen, neon, argon, air and carbon dioxide at pressures below 2 atmospheres and absolute temperature of 0°C
 J. Sci. Research Inst. (Tokyo) 43,
- Ohphant, M. L. E. Selective adsorption from gaseous mixtures by a mercury surface formed in the mixture Phil. Mag. [7], 6, 422-33 (1928)
- Opfell, J. B., Sage, B. H. and Pitzer, K. S. Application of the Benedict equation to the theorem of corresponding states Ind. Eng. Chem. 48, 2069-76 (1956)
- Organick, E. I. and Hollingsworth, B. J. Computing convergence pressure Petrol. Refiner 38, 172-3 (1959)

- Othmer, D. F., Kowalski, R. C. and Naphtali, L. M. Correlating heats of solution and vapor-liquid equilibria. Construction of Ponchon diagrams Ind. Eng. Chem. 51, 89-92 (1959)
- Paal, C. and Hartman, W. Gaseometric determination of hydrogen by catalytic absorption (in German)
 Ber. 43. 243-58 (1910)
- Palazzo, D. F., Schreiner, W. C. and Skaperdas, G. T. Low temperature recovery of hydrogen from refinery gases
 Ind. Eng. Chem. 49, 685-8 (1957)
- Pamfilov, A. V. and Kagan, S. L. Determination of small concentrations. VIII. Carbon monoxide (in Russian)
 Zhur. Obshchei Khim. 4, 1390-3 (1934)
- Paoluzi, G. A new equation of state (in Italian)
 Ricerca sci. 25, 567-75 (1955)
- Paoluzi, G. New isothermal constant for gases (in Italian)
 Ann. geofis. (Rome) 10, 241-5 (1957)
- Paoluzi, G. The equation of state for gaseous mixtures (in Italian)
 Chim. e ind. (Milan) 39, 350-3 (1957)
- Patrick, W. A., Frazer, J. C. W. and Rush, R. I. A study of the structural changes in amorphous materials. Silica gel J. Phys. Chem. 31, 1511-20 (1927)
- Peter, S. and Weinert, M. Solubility of hydrogen, carbon monoxide, carbon dioxide and water vapor in liquid hydrocarbons (in German)
 physik. Chem. (Frankfurt) 5, 114-21 (1955)
- Peters, K. and Proksch, E. The kinetics of adsorption of gases near their critical temperature (in German)
 Elektrochem. 61. 1241-6 (1957)
- Petit, P. Solubility of nitrogen in hydrogen below the critical temperature of nitrogen (in French)
 Compt. rend. 246, 1171-2 (1957)

 Petit, P. and Weil, L. Solubility of oxygen, nitrogen and argon in liquid hydrogen Bull. inst. intern. froid Annexe 1958-1, Suppl., 271-4, Delft

(1958)

322.

 Piefferle, W. C., Jr., Goff, J. A. and Miller, J. G. Compressibility of gases. I. The Burnett method. An improved method of treatment of data. Extension of the method to gas mixtures
 J. Chem. Phys. 23, 509-13 (1955)

 Pfundt, O. Detection and recording of small amounts of carbon monoxide, particularly in purified contact hydrogen (in German) Chem. Fabrik 6, 69-71 (1933)

318. Phillips. T. D. Adsorption of hydrogen Phys. Rev. 45, 215 (1934)
319. Pickering. S. F. A review of the critical constants of various gases
J. Phys. Chem. 28, 97-124 (1924)

320. Pickering, S. F. A review of the literature relating to the critical constants of various gases
Natl. Bur. Standarij (U.S.), Sci. Paper No. 541, 597-629
(1926)

321. Pickering, S. F. Compressibilities of gases
Natl, Bur, Standards (U.S.), Misc. Publ. No. 71, 14 pp.
(1925)

Picon, M. The extreme sensitivity of the determination of carbon monoxide, ethylene and acetylene by iodic anhydride (in French)
Bull. soc. chim. France 1956, 370-1 (1956)

Pier, M. Specific heat and gaseous equilibria by explosion studies, carbon dioxide, sulfur dioxide and carbon monoxide (in German)
 Elektrochem. 16, 897-903 (1910)

- Pierotti, G. J., Deal, C. H. and Derr, E. L. Activity coefficients and molecular structure Ind. Eng. Chem. 51, 95-102 (1959)
- 325. Pietsch, H. Determination of very small amounts of oxygen, carbon monoxide, methane and nitrogen in purest ethylene by adsorption chromatography (in German) Erdol u, Kohle 11, 157-9 (1958)
- Pings, C. J., Jr. and Sage, B. H. Equations of state Ind. Eng. Chem. 49, 1315-28 (1957)
- 327. Pitzer, K. S. Corresponding states for perfect liquids J. Chem. Phys. 7, 583-90 (1939)
- Pitzer, K. S. Volumetric and thermodynamic properties of fluids. I. Theoretical basis and virial coefficients J. Am. Chem. Soc. 77, 3427-33 (1955)
- Pitzer, K. S. and Curl, R. F., Jr. Volumetric and thermodynamic properties of fluids. III. Empirical equation for the second virial coefficient
 J. Am. Chem. Soc. 79, 2369-70 (1957)
- Pitzer, K. S., Lipman, D. F., Curl, R. F., Jr., Huggens, C. M. and Petersen, D. E. Volumetric and thermodynamic properties of fluids. il. Compressibility factor, vapor pressure and entropy of vaporization
 J. Am. Chem. Soc. 77, 3433-40 (1955)
- 331. Piutti, A. Adsorption of carbon monoxide (in Italian) Ciorn, chim. ind. ed appl. 5, 70-3 (1923)
- Podgurski, H. H. and Emmett, P. H. The adsorption of hydrogen and carbon monoxide on iron surfaces
 Phys. Chem. <u>57</u>, 159-64 (1953)
- Pollard, F. H. The adsorption of carbon monoxide and hydrogen by platinized asbestos
 Phys. Chem. 27, 356-75 (1923)

Powers, R. W., Mattox, R. W. and Johnston, H. L. 334. Thermal conductivity of liquid normal and para-hydrogen from 15° to 27°K J. Am. Chem. Soc. 76, 5792-3 (1954)

Prausnitz, J. M. Fugacities in high-pressure equilibria and 335. in rate processes A. I. Ch. E. Journal 5, 3-9 (1959)

Prausnitz, J. M. Fugacities in simple gas mixtures 336. Chem. Eng. Sic. 6, 112-5 (1957) Prausnitz, J. M. Regular solution theory for gas-liquid

337. solutions A. I. Ch. E. Journal 4, 269-72 (1958) Prausnitz, J. M. and Benson, P. R. Effective collision

338.

342.

diameters and correlation of some thermodynamic properties of solutions A. I. Ch. E. Journal 5, 301-3 (1959)

Prausnitz, J. M. and Benson, P. R. Solutility of liquids in 339. compressed hydrogen, nitrogen and carbon dioxide A. I. Ch. E. Journal 5, 161-4 (1959) Prausnitz, J. M. and Gunn, R. D. Psuedocritical constants

340. from volumetric data for gas mixtures A. I. Ch. E. Journal 4, 494 (1958) Prausnitz, J. M. and Gunn, R. D. Volumetric properties of

341. non-polar gaseous mixtures A. I. Ch. E. Journal 4, 430-5 (1958) Prausnitz, J. M. and Snider, G. D. Thermodynamic

consistency test for multicomponent solutions A. I. Ch. E. Journal 5, 7 S - 8 S (1959) Ray, G. C. and Box, E. O., Jr. Adsorption of gases on 343.

activated charcoal Ind. Eng. Chem. 42, 1315-8 (1950)

- 344. Redlich, O., Kister, A. T. and Turnquist, C. E. Thermodynamics of solutions-analysis of vapor-liquid equilibria Chem. Eng. Progr. Symposium Ser. 48, No. 2, 49-61 (1952)
- 345. Redlich, O. and Kwong, J. N. S. On the thermodynamics of solutions, V. An equation of state. Fugacities of gaseous solutions Chem. Revs. 44, 233-44 (1949)
- 346. Regak, N. Ya. and Smirnov, N. I. A study of adsorption processes. II. Adsorption of unsaturated gases by activated charcoal (in Russian)
 Zhur. Priklad. Khim. 28, 433-6 (1955)
- Reid, R. C. and Sherwood, T. K. The properties of gases and liquids McGraw-Hill Book Co., New York, 386 pp. (1958)
- 348. Reimann, A. L. Clean-up of various gases by magnesium, calcium and barium Phil. Mag. [7], 18, 1117-32 (1934)
- 349. Remy, H. and Hene, W. The adsorption of gases by active charcoal (in German) Kolloid-Z. 61, 314-22 (1932)
- 350. Reuss, J. and Beenakker, J. J. M. Determination of the second virial coefficient B₁₂ for mixtures of gases (in German) Physica <u>22</u>, 869-79 (1956)
- Reyerson, L. H. The adsorption of hydrogen by silica gel at elevated temperatures
 J. Am. Chem. Soc. 55, 3105-8 (1933)
- Reyerson, L. H. and Swearingen, L. E. Adsorption of gases by metallized silica gels
 J. Phys. Chem. 31, 88-101 (1927)
- Ribkin, L. L. Tables of the thermodynamic properties of gases (in Russian)
 Izvest. Vsesoyuz. Teplotekh. Inst. im. Feliksa Dzerzhinskogo
 81-111 (1952)

- 354. Risenfeld, W. B. and Watson, K. N. Equation of state of liquids and gases at low temperatures Phys. Rev. 108, 518-36 (1957)
- 355. Rische, E. A. Freezing-out vapors from gas-vapor mixtures by forced purging streams (in German) Chem. -Ing. -Tech. 29, 603-14 (1957)
- Robin, S. Solution in compressed gases (in French)
 J. phys. radium 14, 330-44 (1953)
- Robin, S. and Vodar, B. Interpretations of some measurements of solubility in compressed gases (in French)
 J. phys. radium 13, 264-70 (1952)
- 358. Robin, S. and Vodar, B. Solubility in compressed gases Discussions Faraday Soc. No. 13, 233-8 (1953)
- 359. Rowe, H. The adsorption of gases by activated charcoal at very low pressures. I. At air temperatures Phil. Mag. [7], 1, 109-31 (1926)
- Rowe, H. The adsorption of gases by activated charcoal at very low pressures. II. At -183°C Phil. Mag. [7], 1, 1042-54 (1926)
- Rowlinson, J. S. Reduced equation of state
 Trans. Faraday Soc. 51, 1317-26 (1955)
- Rowlinson, J. S. and Richardson, M. J. The solubility of solids in compressed gases
 Advances in Chemical Physics, Interscience Publishers, Inc., New York, Vol. II, 85-118 (1959)
- Rowlinson, J. S. and Sutton, J. R. The statistical thermodynamics of solutions of non-spherical molecules, II. Liquidvapor equilibrium and the formation of azeotropes Proc. Roy. Soc. (London) A229, 396-404 (1955)
- 364. Rozen, A. M. The calculations of thermodynamic quantities from experimental p-v-t data (in Russian) Zhur. Fiz. Khim. 27, 178-93 (1953)

- Rozen, A. M. Method of deviation coefficients in the technical thermodynamics of high pressure (in Russian) Zhur. Fiz. Khim. 19, 469-84 (1945)
- 366. Rudenko, N. S. Molecular weight, density and viscosity of liquefied gases (in Russian) Zhur. Tekh. Fiz. 18, 1123-6 (1948)
- 367. Ruhemann, M. and Fedoritenko, A. Physical bases for separation of helium and nitrogen (in Russian) Zhur. Tekh. Fiz. 7, 35-42 (1937)
- 368. Ruhemann, M. and Zinn, N. The system hydrogen-nitrogen-carbon monoxide and the scrubbing out of carbon monoxide (in German) Physik. Z. Sowjetunion 12, 389-403 (1937)
- Sage, B. H. and Lacey, W. N. The partial volume and its significance
 Calif. Oil World <u>54</u>, No. 22, 31-2, 34-5, No. 23, 16-7, 32 (1941)
- Sage, B. H., Olds, R. H. and Lacey, W. N. Two gaseous mixtures containing hydrogen and nitrogen. Thermodynamic properties
 Ind. Eng. Chem. 40, 1453-9 (1948)
- Sage, B. H. and Reamer, H. H. Some methods of experimental study of vapor-liquid equilibria
 Chem. Eng. Progr. Symposium Ser. 48, No. 2, 3-17 (1952)
- Saurel, J. R. Equations of state and the thermodynamic properties of compressed gases (in French)
 Genie chim. 79, 12-22, 44-51 (1958)
- Schaefer, C. A. and Thodos, G. Reduced density correlation for hydrogen: liquid and gaseous states
 A. I. Ch. E. Journal 5, 155-8 (1959)
 - Schaefer, C. A. and Thodos, G. Thermal conductivity of diatomic gases. Liquid and gaseous states
 A. I. Ch. E. Journal <u>5</u>, 367-72 (1959)

Schafer, K. The second virial coefficient of the different modifications of light and heavy hydrogen. I. Experimental determination (in German)
 physik. Chem. B36., 85-104 (1937)

 Schafer, K. The second virial coefficient of the different modifications of light and heavy hydrogen. II. Theoretical calculations (in German)
 physik. Chem. <u>B38</u>, 187-208 (1937)

 Schames, L. Direct relationship of equation of state and internal friction of nitrogen, helium, neon, hydrogen, air, argon and oxygen (in German)
 Physik. Z. 32, 16-20 (1931)

 Schiller, F. C. and Canjar, L. N. An equation of state for carbon monoxide vapor-liquid equilibria for the mitrogencarbon monoxide system Chem. Eng. Progr. Symposium Ser. No. 7, 49, 67-72 (1953)

Schroder, W. Measuring vapor-liquid equilibria at elevated pressures (in German)
 Chem. -Ing. -Tech. 30, 523-5 (1958)

380. Schuftan, P. Determination of carbon monoxide in hydrogen (in German)
 Z. angew. Chem. 39, 276-8 (1926)

 Scott, G. A. Isotherms of hydrogen, carbon monoxide and their mixtures
 Proc. Roy. Soc. (London) A125, 330-44 (1929)

 Scott, R. B. and Brickwedde, F. G. Molecular volumes and expansivities of liquid normal hydrogen and parahydrogen J. Chem. Phys. 5, 736-44 (1937)

 Scott, R. B., Brickwedde, F. G., Urey, H. C. and Wahl, M.
 H. The vapor pressures and derived thermal properties of hydrogen and deuterium
 J. Chem. Phys. 2, 454-64 (1934) 384. Sekera, A. and Stramk, J. Apparatus for the determination of the solubility of solids in liquids (in Czech.) Chem. listy <u>50</u>, 1864-5 (1956)

 Simon, F., Ruhemann, M. and Edwards, W. A. M. Melting point curves of hydrogen, neon, nitrogen and argon (in German)
 physik. Chem. B6, 331-42 (1929)

386. Smith, A. L., Hallett, N. C. and Johnston, H. L. Condensed gas calorimetry. VI. The heat capacity of liquid parahydrogen from the boiling point to the critical point J. Am. Chem. Soc. 76, 1486-8 (1954)

Smith, S. R. I. Gas-liquid phase equilibria in the system helium-hydrogen. II. Development of mass spectrometer techniques for analysis of helium-hydrogen and their isotopes Ph. D. Thesis, Ohio State Univ., Columbus (1952)
 Stage, H. and Baumgarten, I. S. The determination of vapor-

388. Stage, H. and Baumgarten, i. The description of liquid equilibrium (in German)
Oel u. Kohle 40, 126-31 (1944)

389. Steckel, F. Dew and boiling points for mixtures of nitrogen with carbon monoxide at pressures up to 17 atmospheres (in Russian)

Zhur. Tekh. Fiz. 6, 137-40 (1936)
390. Steckel. F. Dew and boiling point curves of nitrogen-carbon monoxide mixtures up to 17 atmospheres (in German) Physik. Z. Sowjetunion 8, 337-41 (1935)

 Steckel, F. and Zinn, N. Determination of diagram of state of the liquid-vapor system methane-nitrogen-hydrogen (in Russian)
 Zhur, Khim. Prom. 16, 24-8 (1939)

 Stevenson, R. Compressions and solid phases of carbon dioxide, carbon disulfide, carbonyl sulfide, oxygen and carbon monoxide at low temperatures
 Chem. Phys. 27, 673-5 (1957)

manipal EP

 Stewart, J. W. Compressibilities of some solidified gases at low temperatures

Phys. Rev. <u>97</u>, 578-82 (1955)

394. Stock, A., Henning, F. and Kuss, E. Vapor pressure tables for determinations between 25° and -185° (in German) Ber. 54B, 1119-29 (1921)

Storfer, E. Heterogeneous catalysis. I. Activated adsorption of hydrogen on charcoal (in German)
 Elektrochem. 41, 198-204 (1935)

 Strehlow, R. A. Method of extrapolating equation-of-state data to higher temperatures
 J. Chem. Phys. 23, 1562 (1955)

 Su, G. J. and Chang, C. H. Generalized Beattie-Bridgeman equation of state for real gases
 J. Am. Chem. Soc. 68, 1080-3 (1946)

398. Su, G. J. and Chang, C. H. Generalized equation of state of real gases Ind. Eng. Chem. 38, 800-2 (1946)

Su, G. J., Huang, P. H. and Chang, Y. M. The compressibilities of gas mixtures
 J. Am. Chem. Soc. 68, 1403-4 (1946)

 Swenson, C. A. The catalysis of the ortho-para conversion in liquid hydrogen
 Chem. Phys. 18, 520-2 (1950)

401. Szuba, J., Gajewski, Z. and Laskowska, H. An apparatus for the determination of the solubility of solids in liquids by the weighing method (in Polish) Koks, Smola, Gaz 2, 75-7 (1957)

 Tanner, C. C. and Masson, I. The pressure of gaseous mixtures. III.
 Proc. Roy. Soc. (London) A126, 268-88 (1930)

- Tickner, A. W. and Lossing, F. P. Mass spectrometer measurements of low vapor pressures
 J. Chem. Phys. 18, 148 (1950)
- 404. Tickner, A. W. and Lossing, F. P. Measurements of low vapor pressure by means of a mass spectrometer J. Phys. & Colloid Chem. 55, 733-40 (1951)
- 405. Tierney, J. W. Correlation of vapor-liquid equilibrium data Ind. Eng. Chem. 50, 707-10 (1958)
- 406. Titov, A. The adsorption of gases on charcoal (in German) Z. physik. Chem. 74, 641-78 (1910)
- 407. Torocheshnikov, N. S. Isotherms and isobars of the nitrogencarbon monoxide system (in Russian) Tech. Phys. U. S. S. R. 4, 365-9 (1937)
- Torocheshnikov, N. S. and Sernenova, V. A. Equilibrium liquid-vapor in the system hydrogen-methane-nitrogen-carbon monoxide (in Russian)
 Trudy Moskov, Khim. Tekhnol. Inst. im. D. I. Mendeleeva No. 18, 115-7 (19-4)
- 409. Townend, D. T. A. and Bhatt, L. A. Isotherms of hydrogen, carbon monoxide and their mixture Proc. Roy. Soc. (London) A134, 502-12 (1931)
- 410. Trautz, M. and Badstubner, W. Calculation of the specific heats of gases from vapor-pressure curves (in German)
 Ann. Physik [5], 8, 185-202 (1931)
- Trzeciak, M. P-V-T relationships of gaseous normal deuterium and three hydrogen-mirrogen mixtures
 Ph. D. Thesis, Ohio State Univ., Columbus (1954)
- Tsiklis, D. S. Heterogeneous equilibria in binary systems (in Russian)
 Zhur. Fiz. Khim. 20, 181-8 (1946)

- Turvizumi, A. Porous structure of active carbons. IV. Adsorption of nitrogen, methane, carbon dioxide and ethylene (in Japanese)
 Nippon Kagaku Zasshi 80, 221-4 (1959)
- 414. Ubbelohde, A. R. Kinetics of adsorption processes. III. Influence of nuclear spin on sorption of hydrogen on charcoal Trans. Faraday Soc. 28, 291-9 (1932)
- 415. Ubbelohde, A. R. and Egerton, A. The kine tics of adsorption processes Proc. Roy. Soc. (London) A134, 512-23 (1931)
- Updegraff, N. C. Gas prepurification for low-temperature processing Chem. Eng. Progr. 53, 268-71 (1957)
- 417. Urry, W. D. Adsorption with silica gel at low temperatures J. Phys. Chem. 36, 1831-45 (1932)
- 418. Vagin, E. Y. and Zhukhovitskii, A. A. Theory of thermal separation of gas mixtures by the adsorption method (in Russian)

 Doklady Akad. Nauk S. S. S. R. 94, 273-6 (1954)
- Van Der Waarden, M. and Scheffer, F. E. C. Adsorption of nitrogen, hydrogen and their mixtures on silica gel Rec. trav. chim. 71, 689-98 (1952)
- Vasil'ev, B. N., Bering, B. P., Dubinin, M. M. and Serpinskii, V. V. Adsorption at high pressures (in Russian) Doklady Akad. Nauk S. S. S. R. 114, 131-4 (1957)
- Verschaffelt, J. E. Contributions to the knowledge of the surface ψ of Van der Waals (in Dutch)
 Arch. neerl. sci. 11, 358-444 (1906)
- 422. Verschoyle, T. T. H. Isotherms of hydrogen, nitrogen and hydrogen-nitrogen mixtures at 0° and 20° up to a pressure of 200 atmospheres Proc. Roy. Soc. (London) A111, 552-76 (1926)

423. Verschoyle, T. T. H. The ternary system: carbon monoxidenitrogen-hydrogen and the component binary systems between temperatures of -185° and -215° and between pressures of 0 and 225 atmospheres Trans. Roy. Soc. (London) A230, 18 _20 (1931)

- Verth, H. and Schroder, E. Melting diagrams of several binary systems of condensed gases (in German)
 physik. Chem. A179, 16-22 (1937)
- Vyakhirev, D. A., Bruk, A. I. and Guglina, S. A. Volumetricchromatographic method of gas analysis (in Russian)
 Doklady Akad. Nauk S. S. S. R. 90, 577-9 (1953)
- Vykoukal, I. and Linhart, K. Polarographic determination of carbon monoxide traces (in Czech.)
 Paliva 33. 236-41 (1953;
- 427. Waclawik, J. Apparatus for the continuous determination of traces of carbon monoxide in ges is by conductimetry (in French)

 Chim. anal. 40, 247.9 (1956)
- 428. Wagener, S. Adsorption measurements at very low pressures. II.

 J. Phys. Chem. 61, 267-71 (1977)
- Wagner, G. The various methods of gas purification in industry (in Austrian)
 Osterr. Chemiker-Zt. 42, 313 5 (1939)
- Waitman, A. and Macoveanu, L. Conductometric determination of carbon monoxide (in Rumanian)
 Rev. chim. (Bucharest) 7, 468-72 (1956)
- Weiss, P. Equation of state of fluids. Negative internal pressures at high temperature (in French)
 Compt. rend. 200, 1700-2 (1935)
 - Weizel, W. Apparatus 10. purification o. mert gases and hydrogen (in German)
 tech. Physik 19, 146-8 (1938)

- 433. Wenzel, L. A. Low-temperature distillation Chem. Eng. Progr. 53, 272-7 (1957)
- 434. White, D., Friedman, A. S. and Johnston, H. L. Direct determination of the critical temperature and critical pressure of normal hydrogen J. Am. Chem. Soc. 72, 3565-70 (1950)
- 435. White, D., Friedman, A. S. and Johnston, H. L. Low pressure p-v-t data of gaseous hydrogen from the boiling point to room temperature

(1951)

436. White, D., Friedman, A. S. and Johnston, H. L. The vapor pressure of normal hydrogen from the boiling point to the critical point

Ohio State Univ. Cryogenic Lab., Columbus, T. R. 264-12

- J. Am. Chem. Soc. 72, 3927-30 (1950)
 Widdoes, L. C. and Katz, D. L. Vapor-liquid equilibrium constants for carbon monoxide Ind. Eng. Chem. 40, 1742-6 (1948)
- 438. Wiebe, R. and Gaddy, V. L. Compressibilities of hydrogen and of four mixtures of hydrogen and nitrogen at 0°, 25°, 50°, 100°, 200°, and 300° and to 1000 atmospheres
 J. Am. Chem. Soc. 60, 2300-3 (1938)
- Wilkins, F. J. Adsorption of gaseous mixtures at solid surfaces Nature 141, 1054-5 (1938)
 - Winkler, O. Adsorption of gases at low pressures by active carbon and silica gel (in German)
 tech. Physik 14, 319-32 (1933)
- Wirth, H. Separation of gases by sorption processes. II. (in Austrian) Monatsh. Chem. <u>84</u>, 741-50 (1953)
- 442. Wohl, K. Thermodynamic evaluations of binary and ternary liquid systems Trans. Am. Inst. Chem. Engrs. 42, 215-49 (1946)

- 443. Woodhead, M. and Whytlaw-Gray, R. A comparison of the densities of carbon monoxide and oxygen and the atomic weight of carbon
 - J. Chem. Soc. 1933, 846-54 (1933)
- 444. Woolley, H. W. Effect of dissociation on the thermodynamic properties of pure diatomic gases Nat. Advisory Comm. Aeronaut. Tech. Note No. 3270, 19 pp. (1955)
- 445. Woolley, H. W. High rotational levels and the partition function for hydrogen J. Chem. Phys. 9, 470-2 (1941)
- 446. Woolley, H. W., Scott, R. B. and Brickwedde, F. G. Compilation of thermal properties of hydrogen in its various isotopic and ortho-para modifications J. Research Natl. Bur. Standards 41, 379-475 (1948)
- 447. Wylie, L. M. The vapor pressure of solid argon, carbon monoxide, methane, nitrogen and oxygen from their triple points to the boiling point of hydrogen M. S. Thesis, Georgia Inst. of Tech., Atlanta (1958)
- Young, J. A. Some thermodynamic studies of binary liquid mixtures of carbon monoxide and methane B. Sc. Thesis, New College, Oxford (1954)
- 449. Yu, K. T. and Coull, J. Development of isothermal and isobaric equations-vapor-liquid equilibrium in non-ideal Che m. Eng. Progr. Symposium Ser. No. 2, 48, 38-45 (1952)
- Yushkevich, N. F. and Zhavoronkov, N. M. The purification 450. of hydrogen and hydrogen-nitrogen mixtures from carbon monoxide in the synthetic ammonia industry (in Russian) Zhur, Khim. Prom. 11, 18-24 (1934)
- Zickermann, C. Adscrption of gases on solid surfaces at low 451. temperatures (in German) Z. Physik 88, 43-54 (1934)

- Ziunitsyn, S. A. and Rudenko, N. S. Compressibility of hydrogen at low temperatures (in Russian)
 Zhur. Eksptl. 1 Teoret. Fiz. 16, 776-9 (1946)
- Zwanzig, R. W., Kirkwood, J. G., Stripp, K. F. and Oppenheim, I. Errata: radial distribution functions and the equation of state of monatomic fluids J. Chem. Phys. 22, 1625 (1954)

Appendix

74 TABLE I

CO-H2 PRESSURE CONCENTRATION DATA

Reference Verschoyle (423)

7	empe	rature	Pressure	Lic	nid	Va	901		ĸ
	¢	•к	Atm	Mole % H2	Mole % CO	Mole % H2	Mole % CO	11,	N ₂
	183	8\$ 2	181 3 166 7 128 2 89 6 89 3 55 9	45 4 41 0 30 3 21 7 20 3	56 6 59 0 69 7 78 3 79 7	70 4 77 1 84 8 88 7 88 8 90 2	29 6 22 9 15 2 11 3 11 2 9 8	1 55 1 88 2 80 4 09 4 37 6 73	0 542 0 388 0 218 0 144 0 141 0 113
L	;	, , 11	55 4 31 4 22 1 1" 2	12 9 7 1 5 2 3 6	87 (92 9 94 8 96 6	89 3 88 8 86 5 84 0	10 7 11 2 13 4 16 0	6 92 12 5 16 6 23 3	0 123 0 121 0 141 0 166
	190	83 2	224 R 220 9 215 1 410 4 205 4 400 6	54 1 48 6 47 U 44 8 43 5 41 L 41 5	45 9 51 4 53 0 55 2 56 5 58 9 58 9	66 3 69 4 73 - 75 9 76 6 -6 /	33 7 30 6 26 3 24 1 23 4 23 3 42 3	1 23 1 43 1 57 1 69 1 76 1 87 1 87	0 734 0 595 0 496 0 437 0 414 0 396 0 381
			195 A 190 9 186 1 176 6 166 8	40 1 38 1 36 8 3 4 32 9 21 9	59 9 61 9 63 2 65 6 67 1	79 5 80 5 80 8 83 1 84 3	20 5 19 5 19 2 14 9 15 7	1 98 2 11 2 20 2 42 2 56 3 57	0 342 0 315 0 304 0 258 0 234
			128 1 109 8 109 8 109 6 89 5 89 3	25 4 22 8 21 0 20 6 19 5	74 6 77 2 79 0 19 4 80 5	## # 90 4 90 7 90 6 91 # 92 0	11 2 9 6 9 3 9 4 6 2 8 0	3 50 3 96 4 32 4 40 4 71 5 41	0 150 0 124 0 118 0 118 0 102 0 0964
	"	·	51 2 51 4 17 2	12 5 10 2 2 7	#7 5 h9 # 97 3	93 2 93 1 69 9	6 6 6 9 16 1	7 46 9 13 33 1	0 0.1 0 076 8 0 104
1	200	73.2	224 9 224 8 205 6 205 6 186 2	2- 5 26- 5 25- 0 25- 7 24- 9	72 % 73 % 74 0 74 3	89 0 80 3 91 2 97 2 91 6	11 0 10 7 # 8 9 8	3 24 3 37 3 65 3 51 4 00	0 152 0 146 0 117 0 132 0 104
1			186 2 176 4 176 4 152 =	23 0 23 0 21 % 20 6 16 6	76 4 77 0 78 2 79 4 83 4	91 4 92 0 91 - 93 0	8 6 H 0 K 3 7 0	3 ×7 4 00 4 21 4 51 5 73	0 113 0 104 0 106 0 0882 0 0588
	11 11 11		113 8 113 7 80 2 80 1 51 0 31 8	15 4 16 5 12 7 12 0 8 4 5 6	84 6 83 5 87 3 88 0 91 6	95 5 94 8 95 9 96 4 96 7 97 5	4 5 5 2 4 1 3 6 3 3 2 5	5 75 7 55 8 03 11 5	0 0532 0 0623 0 0470 0 0409 0 0360 0 0265
1	205	" 6 8 2 "	215 2 200 0 152 3 115 4	20 2 18 8 16 3 13 8	96 7 79 8 81 2 83 7 84 2	93 4 93 9 94 6 96 5	6 6 6 1 5 4 3 5	4 62 4 99 4 80 6 99	0 0341 0 0827 0 0751 0 0645 0 0406
ĺ	" !		79 9 41 4 41 4 51 7	10 Z 6 3 6 2 4 9	99 8 93 7 93 8 95 1	97 7 97 5 98 5 98 6	2 3 2 5 1 5 1 4	9 58 15 5 15 9 20 1	0 0256 0 0267 0 0160 0 0147
1			21 7 17 ,	3 3 3	96 7 97 0	98 2 97 9	1 8 2 1	20 8 32 6	0 01/6

i

TABLE II

CO-H2 CRITICAL CONSTANTS

Reference: Verschoyle (423)

		Plait-	Point	Critical Poi	nt of Contact
Tempe	rature	Pressure	Mole % H	Pressure	
•c	*K	Atm	Mole % H 2	Atm	Mole % H ₂
-185	88. 2	187	58	54	90
-190	83. 2	228	60	48	93
-200	73, 2	(325)	(64)	34	97.5
-205	68. 2	(380)	(66)	30	99. 5
			<u> </u>		

TABLE III

CO-H2 PRESSURE-CONCENTRATION DATA

Reference. Ruhemann and Zinn (368)

1 š+			Vapor	Note % CO	H	x z
Atm Mole % H2		Mole % CO	2 2 2 2 2	2	7, 79	0.144
50 11.2		88.8	3.18	. 4	9.04	951 0
35 9.5		93.5	84.5	15 5	13.0	0, 166
8 5 2	_	95,4	81 9	181	17 8	0.190
		97.1	74 5	25.5	2.52	0 263
69 12		8 86	9.19	38.4	51.3	0 389
+	+-	89.7	92.1	7.9	8.94	0.0881
49.7	_	6 16	91.5	8 5	11.3	0 0925
		6.96	89.5	10 5	6 87	0.108
19.5	_	98 4	85 4	14.6	53 4	0.148
+	Т	7 00	94.1	6.5	10)	0.0650
			93.8	6 2	13.6	9990 0
		1.66	92	7.9	18.4	0 0832
5.0		45.0		8 5	24. 1	0 0884
			88	11.9	46 4	0. 121
11.7 1.9		48.1			-	

TABLE IV

CO-H, PRESSURE-CONCENTRATION DATA

Reference Akers and Eubanks (4)

Temp	Temperature	Pressure	pmbr7	pm	Vapor	or.		×
·F	×	Atm	Mole % H2	Mole % CO	Mole % H2	Mole % CO	H ₂	8
-240	122 2	64.1	30 0	70 0	30.0	0 02	0-	<u>-</u>
:	:	24 2	* 57	9 98	33 4	9 99	2, 49	0.769
:	:	34.0	Ţ	6 56	1 22	6 22	5 36	0.812
-280	100	136.1	~ ;	« %	1 19	38.9	1.48	299 0
=	:	115 5	32.2	67.8	73.5	26.5	2.28	0, 391
:	:	45.7	74.7	75.9	77.5	\$ 22	3. 22	967 0
-		75.0	5 91	83 \$	78.2	21.8	4.74	0 261
÷	:	53.8	•	9 88	8 12	25.2	28 9	0, 251
:	:	340	6 9	93.5	26.5	23.5	871	0.251
-	,	21 4	3.5	96.5	67.4	32.6	19 3	0 338
-310	83 3	238 1	663	33.7	7 47	25.3	1.13	0 751
:	-	217 1	45.4	54.6	60.3	19.7	1.77	0 361
:	=	175 9	31.3	68.7	83 1	16.9	5 65	0 246
:	:	154 3	27.3	72.7	85.5	14.5	3 13	0.199
:	-	136.1	2 42	75 8	₩ 88	9 []	3,65	0 153
:	:	115 5	21 0	0 62	89 5	10 5	4.26	0 133
z	=	95.7	15 6	*	91.0	9.6	5 83	0 107
:	E	75.0	13,3	86 7	93.4	6.6	7. 02	0.0761
:	=	53 7	* 6	9 06	93.0	7.0	9.91	0 0772
-	÷	340	6.2	93.8	92.4	9.2	14.9	0 0810
Ξ.	:	\$ 12	-	6 56	90 3	9.7	6 12	101 0

78

TABLE V

SOLID-VAPOR EQUILIBRIA

Reference: Verschoyle (423)

Temp	erature	Pressure	Vapor	Phase
•c	•к	Atm	Mole % H ₂	Mole % CO
-210	63.2	195. 75	96.31	3.69
11	11	176.41	96.53	3.47
11	"	147.39	96.88	3, 12
II .	"	137.76	97. 03	2.97
11	"	104.01	97.80	2, 20
11		79.80	97.42	2. 58
11	"	65, 74	98.76	1.24
	a a	32.03	99.18	0, 82
**		21.85	99.12	0.88
"	"	16.81	99.22	0. 78
-215	58. 2	176.37	98.18	1,82
**	"	157.03	98. 08	1, 92
н	- "	128.05	98.50	1.50
н	"	89. 52	98.90	1.10
	"	51.37	99.47	0.53

SOLID-VAPOR EQUILIBRIA

Reference Dokoupil, Van Soest and Swenker (88)

Pressure	Temperature	Vanor Phase	Pressure	Temperature	Vapor Phase
¥tin	×	Mole % CO	Atm	×	Mole % CO
9	0 89	1.86	2	63.0	0 763
; :	2.59	6	: =		0.152
•	8 09	695 0	•	24.2	0.0784
:	57.9	0 330	:	\$1.4	0 0427
:	55.4	0 171	:	\$1.4	0 0430
=	49.7	6 0623	:	45.8	0 00605
	45.6	0 0329	;	177	0.00314
=	35 6	0.0124	2	37.0	0.000522
52	67.7	1 36	:	36.0	0,000356
=	5 99	1 038	:	33.9	0 000172
ī		0 515	:	31.9	0 0000873
-	0 09	0 284			
	0 95	0 0983	•	62.6	1,22
	+ 05	0 0234		\$6.4	0, 234
		0 0126	:	* *	0 120
	35.5	0 00820		\$1 4	0 0549
<u>-</u>	2 09	0.400	ŧ	7 94	0,00765
} -	405		:	45.2	0 00320
;	9 88	902	÷	37 6	0 000552
	9 35	1880		35.8	0,000362
				33 4	\$260000 0
	21:	0.0058	1.3	8 85	52'1
-		179000		\$\$ 3	0 527
	2 6	92200	:	\$0.5	0,103
	:		÷	47.2	0,0445
	5 2+	0 0358	:	•	2710
	42.1	0 00320	:	7 44 5	0 0167
	38.1	0,00139	:	39.8	0,00361
:	35.0	0 00112		38.2	0 00145
:		.0100	:	36.4	0 000050
٠		20102		**	0,000288
		2000	:	32.3	0 000158

TABLE VII

SOLID-VAPOR EQUILIPRIA

Reference Dokoupil, Van Soest and Swenker (88) Table VI, This Report

Temperature,	Pressure, Atm.	y, Mole Fraction CO in Vapor Phase
35	1.3 5 10 15 25 50	0.0000355 0.0000205 0.0000240 0.0000110 0.000083 0.000119
40 " " " " " " " " " " " " " " " " " " "	1, 3 5 10 15 25	0.000044 0.0000145 0.0000125 0.0000175 0.000112 0.000180
45 " " " " " " " " " " " " " " " " " " "	1 3 5 10 15 25 50	0,000223 0,0000780 0,0000620 0,0000510 0,000153 0,000310
50 " "	1, 3 5 10 15 25 50	0,00110 0 000361 0,000253 0,000212 0 000241 0 000630
55 " " " " " " " " " " " " " " " " " " "	1, 3 5 10 15 25 50	0 00470 0, 00148 0, 00103 0 000910 0, 000750 0 00160
60	1, 3 5 10 15 25 50	0. 0160 0. 0059 0. 00420 0 00325 0. 00280 0. 00480
65	25 50	0 0081 0.0100

TABLE VIII

THREE-PHASE DATA

Reference: Verschoyle (423)

Pressure	Temperature		
Atm	*c	*K	
55. 2	-206, 12	67.04	
55. 2	-206.15	67.01	
104.1	-206. 54	66.62	
104.1	-206.59	66. 57	
104.1	-206.73	66, 43	
147.4	-206.48	66.68	
147.4	-206, 67	66.49	
147.4	-206.72	66.44	
147.4	-206.87	66. 29	
205.5	-206, 34	66. 82	
205. 5	-206.38	66.78	
205, 5	-206.39	66.77	